600-11

Consolidated Molybdenum, Inc.,
801 Central Building
Seattle 4, Washington

Re: Docket No. DMEA-1744
Quartz Crystals
King County, Washington

Gentlemen:

Reference is made to your application for Government assistance to explore for quartz crystals on your claims located approximately 26 miles northeast of North Bend in Section 27, T. 25 N, Range 10E, W.M., King County, Washington.

A review of your application and other data available to us, including the report from the Squier Signal Laboratory, Fort Monmouth, New Jersey, that the ten samples of quartz crystals submitted by you could not be classified as radio grade, indicates that your proposal does not meet the requirements for an exploration project under Defense Minerals Exploration Administration Order-1. Your application is, therefore, denied.

We appreciate your interest in the Defense Program and regret that we are unable to be of assistance to you in this instance.

Sincerely yours,

C. D. Mittendorf

Acting Administrator
Defense Minerals Exploration
Administration

LGHouk/FEJohnson/gas/bih
4/18/52
cc to: Docket
Admr's. Reading File
Mr. Dietrich, 3526
Mr. Bryson, 8-232 - GSA Bldg.
Mr. Houk
Mr. FEJohnson
Operating Committee
Field Team, Region II (2)

Consolidated Molybdenum, Inc.
301 Central Building
Seattle 4, Washington

Subject: Docket No. DMEA-1744
Quartz Crystals
King County, Washington

Gentlemen:

Reference is made to your application for Government assistance to explore for quartz crystal 26 miles northeast of North Bend in Section 27 T, 25N Range 10E, W.M., King County, Washington.

A review of your application and other data available to us, including the report from the Squier Signal Laboratory, Fort Monmouth, New Jersey, that the ten samples of quartz crystal that you submitted could not be classified as radio grade, indicates that your proposal does not meet the requirements for an exploration project under Defense Minerals Exploration Administration Order-1. Your application is, therefore, denied.

We appreciate your interest in the Defense Program and regret that we are unable to be of assistance to you in this instance.

Sincerely yours,

Acting Administrator
Defense Minerals Exploration
Administration

LGHouk:gad 4/9/52

Copy to: Adm. Reading File
Docket File
Mr. Dietrich, 3526
Mr. Bryson, G-232, GSA Bldg.
Mr. Houk
Operating Committee

Docket 1744

SIGSL-SPG-1
Proj. 659A

Director
Squier Signal Laboratory
Fort Monmouth, New Jersey

Mr. W.H. Osterberg
Consolidated Molybdenum, Inc.
801 Central Building
Seattle 4, Washington

7 MAR 1952

Dear Mr. Osterberg:

We regret the delay through our oversight in reporting results of tests performed on the quartz crystal you submitted in September 1951. The necessary tests now have been completed.

Of the ten crystals you submitted, only three were sufficiently free of bubbles, veils and fractures to yield clear portions not exceeding 33% of the total volume in any one. Optical twinning is present in each of these three, rendering them unfit for classification as "radio grade" according to the regular Government Specifications used in purchase of quartz crystals.

If you should wish to submit additional samples of quartz crystals in the future, we would welcome the opportunity to test them for piezoelectric quality. You will find a "Release from Obligation" form enclosed for your use if future samples are submitted.

Very truly yours,

1 Incl.
Release fr Ob form

E. W. JOHNSON
Chief, Frequency Control Branch
Squier Signal Laboratory

cc: Dr. L. C. Hook, Rm. 4637, So. Interior Bldg., DMRA, Washington 25, D.C.
Dr. H.M. Bannerman, U.S. Geological Survey, Washington 25, D.C.
Mr. E.E. Eugert, General Services Administration, 7th & D Sts. SW, Washington 25, D.C.
Dr. F. Buhlman, Bureau of Mines, Washington 25, D.C.
Dr. F.P. Phelps, National Bureau of Standards, Washington 25, D.C.

U.S. Signal Corp
Fort Monmouth NJ

Quartz Crystal

February 18, 1952

1:35 P. M.

Mr. Stanley of Eatontown, New Jersey, returning Mr. Houk's call.

Mr. Stanley: You called this afternoon about some samples of the Consolidated Molybdenum Inc.?

Mr. Houk: Yes, I called you.

Mr. Stanley: The only samples had fractures or bubbles. There are only two small samples that were taken.

Mr. Houk: Then we could expect the results to be sent to us?

Mr. Stanley: You mean the results of the investigation?

Mr. Houk: Yes.

Mr. Stanley: Yes, we can send you a copy.

Mr. Houk: Then all we can do is wait until you have made the investigation.

Mr. Stanley: I guess so.

Mr. Houk: Ok sir, that helps me out a great deal thank you.

Mr. Stanley: That is fine.

July 6, 1951

Consolidated Molybdenum Inc.
801 Central Building
Seattle 4, Washington

Subject: DMA-1714X

Gentlemen:

Regarding your application for consider an exploration project on quartz crystal deposit in King County, Washington, docketed as DMA-1714X; it is desirable that you furnish evidence of the strategic grade of the crystals.

You may obtain on request to the Director, Squier Signal Laboratory, Fort Monmouth, New Jersey, a description of the technical requirements for optical and radio-grade quartz crystals. If you can obtain samples from your deposit which appear to meet the requirements, they may be sent to the Squier Laboratory for examination, which is made without charge.

On receipt of a favorable report of tests by the Squier Laboratory on your crystals, we will be glad to give subject application further consideration.

Sincerely yours,

James A. Barr, Sr., Chief
Industrial Minerals Branch

JABARR:mas

cc: Reports and Records Section
Mr. Barr
DMA Files

UNITED STATES
DEPARTMENT OF THE INTERIOR
DEFENSE MINERALS ADMINISTRATION
WASHINGTON 25, D. C.

AUG 24 1951

Mr. E. L. Ostenberg, President
Consolidated Molybdenum Inc.
601 Central Building
Seattle 4, Washington

Subject: Application DMA # 1744X
TA #

Dear Mr. Mr. Ostenberg:

Please refer to our letter dated July 6, 1951 requesting additional information to enable us to process your application. Your application shall be considered as withdrawn unless we receive your reply within thirty days. It would then be necessary for you to file a new application, should you desire Governmental assistance in the future.

Sincerely yours,

SIGNED

James A. Barr, Chief
Industrial Minerals Branch

JAbarr:sgl
8-16-51
cc: Field Team, Region II (2)
210
Mr. Barr (2)
DMA FILES

June 29, 1951

Mr. V. M. Osterberg, President
801 Central Building
Seattle 4, Washington

Subject: DMA-1744X
Re: Exploration Loan -
Devil's Canyon

My dear Mr. Osterberg:

Receipt is acknowledged of your application and attachments of May 28, 1951 for an exploration loan under the Defense Production Act of 1950.

The application was assigned Docket Number DMA-1744X and referred to Mr. James A. Barr, Chief, Industrial Minerals Branch on June 28, 1951.

In any future correspondence relating to your application, kindly refer to DMA-1744X.

Sincerely yours,

LANDON F. STROBEL

Landon F. Strobel
Executive Secretary

L. F. Strobel:jc
cc: Strobel
File
✓Barr
Lyon

6/5/51

Defense Minerals Administration

Review of Application for Exploration Assistance

Docket No. DMA 1744X

Commodity Quartz crystal

Total Amount $5,000.00

Govt. Participation 90%

1. Name and Address of Applicant Consolidated Molybdenum Inc
801 Central Bldg.; Seattle 4, Washington

2. Location of Property 26 miles northeast of North Bend
(Sec 27, T25N R10E; W.M.) King County, Washington.

3. Mineral or metal Quartz crystal Is it listed in Section 9 of MO-5? Yes

If not, application will be rejected.

4. Geologic probability of discovery—based on data in application (question #16, 17, 18, 20 and 22)*

Mines or Survey reports, etc., do you rate chances:

a) Good

b) Poor ✓

c) None

d) Don't know—needs field examination

e) Is there an alternative and favorable project?
(If so, attach an explanation)

5. Is the applicant's right to the property clearly stated? Yes - {Owner of part / lessee of part}
(question 5, 6, 7)*

6. If applicant is a lessee, is a copy of the lease attached? No - will be supplied.

Does the lease have sufficient time to run to cover a future productive period? Not Known - probably Yes (application states 99 yrs)

*question numbers are those of MF-103

7. Are subordination agreements necessary? Yes

a) MF-201? not needed.

b) MF-202 needed on leased part of ground - not attached

8. From the data presented, does the proposed project appear feasible from the point of view of:

a) Available manpower Probably yes - no mention of men to be employed

b) Equipment and supplies Probably yes - no mention of equipment to be used
(Question 14 plus general knowledge of availability)*

c) Accessibility (question 12)* Difficult but accessible

d) Water (question 13)* Yes

e) Power (question 13)* Yes

Is a field check needed on any of these points? Yes

9. Does the experience of the applicant appear to be adequate to assure that he can properly conduct the proposed project? (question 4)* Yes

Is a field check needed on this point? Yes - check familiarity with quartz crystals

10. Exhibit A. (questions 21 and 22)*

a) Is the project adequately described? No

If not, are there sufficient data given so that you can describe the project? No If so, attach a draft.

b) Is there an adequate map or sketch of the proposed work? No

c) Is the proposed work "exploration" under the definition of Section 8, MO-5? No - the work described is preparatory but is not exploration

If not, what part of it is? No description is given of the type of work to be done in the quartz bearing area.

Is this part a worthwhile exploration project? [illegible]

d) Are the cost estimates detailed? [illegible]

Can they be summarized, as on page 2 of Procedural Instruction 5-A, from the available data? [illegible] If so, attach a draft.

e) Are the cost estimates reasonable? [illegible]

f) Should more information be requested from applicant? [illegible]

g) Is a field examination necessary to complete Exhibit A? [illegible]

11. Exhibit B (question 23-d)*

a) Is it applicable? [illegible]

b) If so, are sufficient data furnished? [illegible] If so, attach a draft.

c) Is a field check needed? [illegible]

12. Exhibit C (question 23-e, f and g)*

a) Is it applicable? [illegible]

b) Sufficient data? [illegible] If so, attach a draft.

c) Are rents and charges reasonable? [illegible]

d) Is a field check needed? [illegible]

13. Exhibit D (question 23-a, b)*

a) Are there sufficient data? [illegible]

b) Is the schedule adequate for the work proposed? [illegible]

c) Is the schedule excessive for the work proposed? [illegible]

d) Are the proposed wages and salaries reasonable? [illegible]

e) Is a field check needed? [illegible]

14. Exhibit E (question 23-c)*

a) Is it applicable? Yes - but no mention of whether or not repairs are needed

b) Sufficient data? No

c) Reasonable? Not mentioned

d) Field check needed? Yes

15. In your judgment, can the proposed work be done in the proposed time? Work not outlined so cannot judge

(All exploration must be completed within two years)

16. If field examination is not needed, attach your recommendation.

17. If field examination is needed, do you have any special instructions for the field team not indicated by your answers to the foregoing question? If visited, field team should investigate the occurrence of crystals & secure enough for comprehensive tests. Also check the means & methods to be used for exploration.

Reviewed by: [illegible] B/M

Date 6/29/57

97692

6/29/51 Docket No.- DMA 1744X

Section 10. Exhibit A.

This project is undescribed from our exploration angle merely that, a trail is to be built to the upper part of the canyon where the "crystals predominate". The methods to be used to explore the possible deposits are not mentioned. This trail building could be done as an adjunct to the exploration but by itself is not exploratory work.

Section 11. Exhibit B.

The application asks for $300.00 to construct a tool shed but nothing more is said about it. This is probably required & would be allowable in an exploration project but without such a program would be unnecessary

Section 12. Exhibit "C"

No equipment is asked for nor is an explanation offered as to what will be needed or where it might come from. Possibly the company is operating nearby & work on this project will be supplied from that operation but nothing is said regarding the matter

Section 13 Exhibit E

No mention is made of repair work or rehabilitation that might be needed nor are any facilities or structures now on the property mentioned

6/29/51

DMA 1744X

Section 13 Exhibit "D"

The only mention of the labor to be employed is a lump sum of $3000.00 for "labor at minimum union wage!" One supervisor is asked for, at $500.00 - whether per month or the job is uncertain. This is, of course, manifestly at variance with the MF 103 & would have to be broken down before consideration.

Section 16. Recommendation.

This application gives no program of exploration merely describes general conditions. The reports attached give no idea of what exploration should be made of the quartz merely mention that some have been found.

The applicant should be asked to furnish samples of what he hopes to produce & give some sort of program of exploration. Until this is done & the specimens received are tested the application can well be held in abeyance. No field team investigation is warranted until more definite information on a program is secured. The samples are of prime importance

BMP

6/5/51

Defense Minerals Administration

Review of Application for Exploration Assistance

Docket No. DMA 1744 X

Commodity Quartz crystal

Total Amount $5,000.00

Govt. Participation 96%

1. Name and Address of Applicant Consolidated Molybdenum Inc
301 Central Bldg., Seattle 4, Washington

2. Location of Property 26 miles northwest of North Bend
(Sec 29, T 23 N R 11 E, W.M.) King County, Washington

3. Mineral or metal Quartz crystal Is it listed in Section 9 of MO-5? Yes

If not, application will be rejected.

4. Geologic probability of discovery—based on data in application (question #16, 17, 18, 20 and 22)*

Mines or Survey reports, etc., do you rate chances:

a) Good

b) Poor ✓

c) None

d) Don't know—needs field examination

e) Is there an alternative and favorable project?
(If so, attach an explanation)

5. Is the applicant's right to the property clearly stated? Yes - from report - lessee report - (question 5, 6, 7)*

6. If applicant is a lessee, is a copy of the lease attached? No - will be supplied.

Does the lease have sufficient time to run to cover a future productive period? Not known - probably Yes (application states 99 yrs)

*question numbers are those of MF-103

Is this part a worthwhile exploration project? Can't tell from data given

d) Are the cost estimates detailed? No

Can they be summarized, as on page 2 of Procedural Instruction 5-A, from the available data? No If so, attach a draft.

e) Are the cost estimates reasonable? None given

f) Should more information be requested from applicant? Yes

g) Is a field examination necessary to complete Exhibit A? Yes

11. Exhibit B (question 23-d)*

a) Is it applicable? Yes - ask for construction of tool shed.

b) If so, are sufficient data furnished? No If so, attach a draft.

c) Is a field check needed? Yes - if field team at property

12. Exhibit C (question 23-e, f and g)*

a) Is it applicable? Yes - but no information given in application

b) Sufficient data? No If so, attach a draft.

c) Are rents and charges reasonable? None given

d) Is a field check needed? Yes

13. Exhibit D (question 23-a, b)*

a) Are there sufficient data? No

b) Is the schedule adequate for the work proposed? Indeterminate

c) Is the schedule excessive for the work proposed? Indeterminate

d) Are the proposed wages and salaries reasonable? None given

e) Is a field check needed? Yes

7. Are subordination agreements necessary? [illegible]

a) MF-201? [illegible]

b) MF-202 [illegible]

8. From the data presented, does the proposed project appear feasible from the point of view of:

a) Available manpower [illegible]

b) Equipment and supplies [illegible]
(Question 14 plus general knowledge of availability)*

c) Accessibility (question 12)* [illegible]

d) Water (question 13)* [illegible]

e) Power (question 13)* [illegible]

Is a field check needed on any of these points? [illegible]

9. Does the experience of the applicant appear to be adequate to assure that he can properly conduct the proposed project? (question 4)* [illegible]

Is a field check needed on this point? [illegible]

10. Exhibit A. (questions 21 and 22)*

a) Is the project adequately described? [illegible]

If not, are there sufficient data given so that you can describe the project? [illegible] If so, attach a draft.

b) Is there an adequate map or sketch of the proposed work? [illegible]

c) Is the proposed work "exploration" under the definition of Section 8, MO-5? [illegible]

If not, what part of it is? [illegible]

14. Exhibit E (question 23-c)*

a) Is it applicable? [illegible]

b) Sufficient data? [illegible]

c) Reasonable? [illegible]

d) Field check needed? [illegible]

15. In your judgment, can the proposed work be done in the proposed time? [illegible]

(All exploration must be completed within two years)

16. If field examination is not needed, attach your recommendation.

17. If field examination is needed, do you have any special instructions for the field team not indicated by your answers to the foregoing question? [illegible]

Reviewed by: [illegible]

Date [illegible]

97692

2/29/81 Docket No. DMA 1744X

Section 10. Exhibit A.

This project is understood to an exploration only that a trail is to be built to the upper part of the canyon where the "crystals predominate". The methods to be used to explore the possible deposits are not mentioned. The building could be done as an adjunct to the exploration by itself is not exploratory work.

Section 11. Exhibit B

The application asks for 300 sq ft to construct a tool shed but nothing more is said about it. This is probably required & would be allowable in an exploration project but without such a proposal would be unnecessary

Section 12 Exhibit C

No equipment is asked for nor is an exploration plan as to what will be needed or where it might come from. Possibly the company is operating nearby & work on this project will be supplied from that operation but nothing is said regarding the matter

Section 14 Exhibit E

No mention is made of repair work or rehabilitation that might be needed nor are any buildings or structures now on the property mentioned

6/29/51

DMA 17444

Section 13 Exhibit D

The only mention of the labor to be employed is a lump sum of $300.00 for "labor at minimum union wage." One supervisor is asked for at $500.00 — which for month a year is unreasonable. This is, of course, immaterial at present with the GMF 103 & would have to be broken down before consideration.

Section 16. Recommendation.

This application gives no program of exploration nicely describes general conditions. The reports attached give no idea of what explorations should be made of the quartz nicely mention that some have been found.

The applicant should be asked to furnish samples of what he hopes to produce & give some sort of program of exploration. Until this is done & the specimens received & tested the application can well be held in abeyance. No field team investigation is recommended until more definite information on a program is secured. The samples are of prime importance

Pres

Form MF-103
(April 1951)

U. S. DEPARTMENT OF THE INTERIOR
DEFENSE MINERALS ADMINISTRATION

Budget Bureau No. 42-R1035.
Approval expires 6-30-51.

APPLICATION FOR AID FOR AN EXPLORATION PROJECT PURSUANT TO MINERAL ORDER 5, UNDER DEFENSE PRODUCTION ACT OF 1950

DO NOT FILL IN THIS BLOCK

Docket No. dma/1744X

Date received 6-27-51

Participation

Consolidated Molybdenum Inc.
801 Central Building
Seattle 4, Washington

DEPARTMENT OF THE INTERIOR
Defense Minerals Administration
RECEIVED
JUN 27 1951
LANDON F. STROBEL
Executive Secretary

Name and address of applicant

Date May 28, 1951

FILL IN THIS BLOCK

Date of application May 28, 1951

Estimated cost $5,000

Mineral or metal Mineral

Percentage of Government participation 90%

Location of mine King County, Washington

Date of filing MF-100

DMA Docket Number, if available

INSTRUCTIONS

Read Mineral Order 5, Regulations Governing Government Aid in Defense Projects, before completing this application. Submit four signed copies of the application to Defense Minerals Administration, Department of the Interior, Washington 25, D. C., or to the nearest field executive officer thereof, with your name and address on each sheet of the application and all accompanying papers. If any question is inapplicable, or if you cannot answer it, so state on the form. Where the space provided for answer is insufficient, answer on a separate sheet, annex it to the application form, and refer to it in space for answer. If the application is approved, you will be presented with an exploration project contract on Form MF-200, for your signature.

THE APPLICANT

*1. Is applicant an individual, partnership, or corporation?
*2. If a partnership, state names and addresses of partners.
*3. If a corporation, state names and addresses of officers, directors, and five largest stockholders.
*4. Describe the mining and general business experience of (*a*) the applicant, and (*b*) the person or persons who will manage the project.
*5. Are you the owner or the lessee of the property?
6. If owner, state what claims, liens, or encumbrances, if any, are against the property.
7. If lessee, attach a copy of the lease and state if it is in good standing.

NOTE.—It will be necessary to procure and attach to the exploration project contract agreements of claimants, lienors, encumbrances and lessors subordinating their interests in the property to the interest of the Government under the contract.

8. Furnish current financial statement, showing assets and liabilities, and a profit and loss statement.
9. How much money is applicant prepared to invest in proposed project? Is it sufficient to pay your part of the cost of the project as detailed in question 23 of this application form, in accordance with the regulations on Government participation (Section 9 of Mineral Order 5)?

*If you have already answered these questions on MF-100, you are not required to answer the questions for this application.

16—64067-1

THE PROPERTY

10. (*a*) Give a description of the real property that will be in any way involved in the exploration project, including any existing mine or operating property.
    (*b*) Give the legal description of the exact parcel, plot, or area upon which the exploration is to be conducted.

    NOTE.—If both areas are the same, so state. The only obligation to repay the Government is from the net earnings from any commercial discovery made in the area specified in (*b*) above in which the exploration is to be conducted, and the expenditure of funds which may be charged as costs of the project must be limited to that area or to work necessary to perform the exploration in that area.

*11. State the present and former names of the property, if any.

*12. State, in detail, the location of the property with reference to towns, railroads, roads, shipping points, including distances and directions and kinds and conditions of roads.

*13. State source and quantity of water available for operations and its sufficiency at all seasons.
State amount of power to be used, rate per hour or other cost, and source.

*14. Describe any existing useable facilities, equipment, buildings, or structure now on the property that will be devoted to the exploration work.

15. State in detail how the ore could be shipped and how and where milled.

*16. History:
    (*a*) Give a statement, as complete as possible, of previous exploration, development, operation, and production of property, with reasons for any past suspensions of operations.
    (*b*) State briefly the known history and production of adjoining and neighboring properties.
    (*c*) Furnish any available (private) reports that may apply to this application, including results of mine examinations, recommended exploration and development, and metallurgical investigations.

*17. Production:
    (*a*) If mine is in production, furnish the following information:

	Tons per day	*Grade or analysis*	*Cost per ton*	*Net value per ton*
(1) Mining				
(2) Milling				
(3) Shipped or sold				

*18. Ore or mineral reserves: (If property is or has been operating.)
    (*a*) Describe the ore or mineral deposits briefly.
    (*b*) Submit available maps and assay data.
    (*c*) Give estimated tonnage and grade of each class of ore reserves.

19. State any conditions or circumstances regarding the property not sufficiently brought out by the foregoing questions.

THE EXPLORATION

20. For what mineral or minerals and for what types of deposits and ores will the exploration be conducted?

21. Describe briefly, but concisely, the proposed work and the estimated time required to complete it.

    NOTE.—The Government will not participate in a project that will require more than 2 years to complete.

22. Furnish statement of the geological basis of the project with particular emphasis on factors leading the operator to expect the finding of commercial ore bodies. This statement should be accompanied by supporting maps such as geological maps, maps of the proposed openings and assay maps, sample lists, and other pertinent data.

THE REQUIREMENTS AND COSTS

23. Tabulate in the form of an itemized statement with a sum for each item the estimated requirements and costs of the project so that the total will give the estimated cost of the project in which the Government will participate, as follows:
    (*a*) Labor, by numbers and classes (miners, muckers, millmen, etc.), with wages of each.
    (*b*) Supervisors, by numbers and positions, with salaries of each.
    (*c*) Cost of necessary repairs to existing facilities, structures, and buildings.
    (*d*) Cost of necessary installation or construction of additional facilities, structures, and buildings.
    (*e*) Cost of items of equipment, not now owned by the applicant which must be purchased for operations at a cost of $50 or more each.
    (*f*) Cost of rental for equipment which the operator proposes to rent.
    (*g*) Rental value of items of equipment which the operator now owns and which will be devoted to the work.
    (*h*) Cost of materials and supplies, including items of equipment costing less than $50 each.
    (*i*) Cost of power, water, utilities, and any other items not provided for above.

24. Furnish a time schedule of the project, stated in terms of months after project is approved, showing progress expected to be accomplished and the money expected to be spent.

CERTIFICATION

The undersigned company, and the official executing this certification on its behalf, hereby certify that the information contained in this form and accompanying papers is correct and complete to the best of their knowledge and belief.

CONSOLIDATED MOLYBDENUM, INC.
(Name of company)

By _____
(Signature of authorized official)

May 28, 1951
(Date)

President
(Title)

Title 18, U. S. Code (Crimes), Section 1001, makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

*Same as footnote on page 1.

16—64067-1 U. S. GOVERNMENT PRINTING OFFICE

CONSOLIDATED MOLYBDENUM, INC.
XXXXXXXXXXXXXXXX
SEATTLE 4, WASHINGTON
801 Central Building

1. Corporation
2. Not a partnership
3. Please see page 11 of Mr. Sprague's report which is attached.
4. The applicant has been familiar with mines and mining for about the past 20 or 25 years and has had many years practical business experience both as a responsible employee of various business firms and operating his own business. The various officers and directors have had many years of practical mining experience as well as business experience.
5. The corporation is the owner of some of the claims and the lessee o f 8 of the claims.
6. None.
7. The lease is in good standing and it is leased for 99 years. Due to the fact that the lease is rather voluminous a copy is not attached, but it can be supplied if it is necessary.
8. Financial statement is attached.
9. We are prepared to invest $500.00 with a go vernment participation of $4,500.00.
10. (a) See page 1 of Mr. Sprague's report.
    (b) Same.
11. Devil's Canyon Mine.
12. Please refer to pages 2 and 3 of Mr. Sprague's report..This mine to market road, which at the time Mr. Sprague's report was written was in the planning stage only, has now been completed and the road is within about 1 mile of Consolidated Molybdenum property. An extension of the road by the State Highway Commission has been applied for and we hope that it will be started in the near future. The property is located approximately 26 miles northeast of North Bend and transportation. The present road is in good condition and will bear heavy traffic.
13. There is a large waterfall on Cougar Creek at the foot of Devil's Canyon and ample water power could be obtained from that source. There is also a small creek which flows down through Devil's Canyon which could be harnassed to a certain extent.
14. Due to the creek coming down Devil's Canyon it was found necessary at the start to drive a tunnel in at the site of the canyon to curve in under the waterfall in order to arrive at the main vein of molybdenum on the property. This tunnel is approximately 220 feet in. There is a log cabin on the property approximately 18 feet square with shake sides and roof. This cabin can be used as a tool shed and for storing equipment.
15. The ore could be shipped by truck after it had been milled on the property. The concentrate could be used as the slag

would drift off.

16. History. (a) This property has been explored mostly towards a development of the molybdenum existing there. The operations were suspended however, because of the lack of a road into the property, but this is being remedied. (b) B ear B asin Mining Company in the area is producing gold, silver and copper. Across Cougar Creek from Devil's Canyon lies the Jackpot Mine which we have been told has zinc. (c) We have already indicated that Mr. Sprague's report is attached and attached also is a report by Mr. Frederick A. McMillan geologist, which is self-explanatory.

17. None.

18. (a) 1. We have a large deposit of quartz crystals. 2. We believe we also have an extensive deposit of molybdenum. 3. We have just recently found that we also have a large deposit of scheelite, but we have not as yet been able to obtain assays or otherwise verify this. (b) See page 7 of Mr. Sprague's report. We will be glad to submit samples of the crystals as we cannot have them assayed and even a hardness test has given us no definite results. (c) The crystals are more than plentiful in the area.

19. These crystals vary in size from small ones to the average which is perhaps about 2½ to 3 inches long by about 1 inch thick. There are indications that the crystals reach a size of about 9 inches long by about 3 or 4 inches through.

20. Quartz crystals.

21. It will be necessary for trails to be blasted in the sides of the cliff leading up to the upper part of the canyon as that is where the crystals predominate. It will be necessary first to erect a suitable tool shed which will be near to the mine itself. It should take about 3 months to complete this.

22. The quartz crystals are predominant in the area and are found in quiart veins. These crystals vary in size from small ones to ones approximately 2½ to 3 inches long by about 2 inches through. There are indications that these crystals reach a length of about 9 inches by about 3 or 4 inches through. We recently attempted to have a hardness test on these crystals but it was impossible to complete it. This was done at the University of Washington.

23. (a) Labor at minimum union wage $3,000.00. (b) Supervisor $500.00. (d) Tool shed $300.00. (h) blasting powder $1,200.00.

24. Project should be completed in about 3 months time.

Very truly yours,

CONSOLIDATED MOLYBDENUM, INC.

V. M. Osterberg
President

VMO:vl

SUMMARY AND CONCLUSIONS

The Company's claims, as taken up, cover a series of long fissure veins in granite. Of these veins, a silver-bearing lode is the one of immediate importance.

This silver lode is one of unusual length, so far as mineral disposits in this part of the country are concerned. Surface showing would indicate a possible lenght of 8000 feet; and therefore it should have considerable depth. It varies in width from about 2 feet up to 9 feet. The material filling the fissure is mostly quartz, with gold and silver -- in the form of arsenides -- as the valuable minerals. Careful tests show the ore to range between $ 11 and $ 12 in value. With the facilities at hand, this ore should be converted at a cost not to exceed $ 7 per ton. Possibilities offering include several hundred thousand tons of such ore. Therefore with ordinary good judgment in handling, the property should be made to pay.

While the property is equipped with a concentrating mill, and has facilities, etc., for handling about 50 tons per day, the fact is that at the present time, there is actually no ore developed or ready for milling purposes. This is the reason for the present situation.

To remedy this situation, the writer advises that development work, towards blocking out ore, be done; and, in the following statement, endeavors to show that the proposition fully justifies whatever outlay may be necessary for the purpose.

Mr. O. H. Peterson
Sec'y. Snoqualmie Mining Co.
Seattle, Washington

Dear Sir:

I beg to hand you herewith my report on your company's mining property in the Buena Vista Mining District of King County, this state.

The report is intended to cover the findings of an examination made during the early days of the present month at the request of yourself and other officers of the company. The purpose of the examination being to size up the general situation and physical conditions surrounding the property and advise as to the necessities and probably financial requirements to place it on a going basis.

The general findings are briefly stated in the following conclusions.

Very truly yours,

(Signed) Geo. Jamme

Mining Engineer
Burke Building
Seattle, Washington

Nov. 26th, 1926

Note:

The property herein described, then known as the Snoqualmie Mines, is now known as the Bear Basin Mine, and held by the Bear Basin Mining Company.

DATA OF PHYSICAL CONDITIONS

LOCATION & EXTENT

The holdings of the Snoqualmie Mining Company are situated in King County, this state, in the Buena Vista Mining District, near the headwaters of Bear Creek, a small stream flowing into the Lenox Creek which is a tributary of the North Fork of Snoqualmie River. They are reached over highway and horse trail from the town of North Bend, which is on branch lines of the Milwaukee and Northern Pacific railways and about 60 miles distant from Seattle. The distance by highway from North Bend is about 8 miles, and by trail about 16.

The holdings consist of 26 full mining claims, the relative positions of which is shown on the accompanying map. The area embraced is approximately 520 acres.

TITLE

Title to the property is held by possessory right. The annual assessment requirements have been fully performed during the past 20 years; so it is in good standing.

DEVELOPMENT & EQUIPMENT

Development work consists of about 2000 feet of tunnels, drifts, cuts, shafts, etc., the principal workings being one tunnel about 400 feet long on a copper lode. The accompanying map shows the general relations of the different workings.

The equipment consists of a 50-ton concentrating mill made up of jaw crusher, ball mill, and flotation tanks; the whole driven by a 4-foot impluse water wheel under 250-foot head. Ore is carried to the mill over a 2-bucket aerial tram about 2000 feet long. A 16-H. P. donkey outfit (logging) supplies steam to a 2-cylinder locomotive air compressor for air drills at the mine. The mine is provided with a fair supply of tools, steel, cars, rails, etc.

Improvements consists of bunk house, cook house, and several out-buildins for stores, etc.; all for the accommodation of 30 men. In addition, the 16 miles of horse trail, together with the necessary bridges, clearings, etc., have been built and maintained by the company.

All work has been well done and the greater part of it is still in very good condition. The whole represents an expenditure in the neighborhood of $ 100,000.00.

TOPOGRAPHY

The chief topographical features of the general region are those of the high, rugged, glacier-carved and weathered mountains of the Cascade Range. The immediate vicinity is a northerly-southerly trending spur which forms the divide between the Skykomish watershed on the north and that of the Snoqualmie on the south. The camp and principal workings lay in a high-walled semi-circular basin at the head of Bear Creek. The claim cover the basin proper and extend eastward over the top of the spur. The elevation of the basin is about 3400 feet above sea; and the mountain spur, hearby, rises to about 5000 feet. From the basin, Bear Creek valley descends fairly rapidly-- the difference in elevation being about 2000 feet in 3 ½ miles. It is over this portion of the way that the only difficulties in transportation are presented.

Up to the 3000 foot line the region is well timbered with fir, cedar and hemlock still untouched by logging operations. On the property, and nearby, some finestands of Alaska cedar appear. This wood has been used for the buildings at camp and for mining purposes.

Salal and other forms of underbrush prevail. Small streams abound-- one of these latter having been harnessed to yield about 75 horse power for the purpose of driving the mill.

GEOLOGY & MINERALOGY

The rocks of the region consist almost entirely of the granodiorites and related rocks which compose the main core of the Cascade Mountains. These vary somewhat in kind and composition and texture, But all fall within the above classification.

Due to forces probably brought about by the cooling processes of the rocks, a series of fissures have been developed over a considerable area of the region. These fissures are in such number and extent that they may be considered as a system. They have a general east-west trend, and vary in width from small openings up to gaps exceeding 50 feet. As a rule, the gaps have been healed by infillings of quartz and calcite; but not infrequently the wall rock forms part. It happens that the infilling of many of these fissures include metallic minerals of different kinds; and, whenever any of these latter occur in sufficient abundance the fissure becomes a vein or lode. In the immediate vicinity, metallic minerals; antimony and zinc and bismuth also occasionally occur. The association is generall with arsenic and sulphur. Some of the veins carry only gold and silver values; in others, copper predominates.

While, as a rule, most of the larger fissures or veins of this region continue for hundreds, and not infrequently thousands, of feet in length, and no doubt have considerable depth; and , while more or less work has been done on many of them at various horizons, nevertheless but little is yet known regarding the chemical changes whichmay have taken place within the filling material itself, at depth. Moisture is abundant in the region and most of the veins carry some water. This water is a natural solvent; also, in some cases, it brings about chemical reactions. So, whenever a vein is more or less rich in metallic minerals at the higher elevation, it is not unlikely that leaching may have taken place over a portion of it, and the leached material accumulated in enriched zones at depths below. So far as this region is concerned noth ing is yet known as to the existance of such zones, and, therfore, as to their horizon and characteristics. Conditions, however, are favorable for them; and, if any do exist, the possibilities in their commercial value are large. This much is known; that in all fissures carrying valuable ores, the ores have continued to whatever depths yet worked-- the lowest being not far above sea level.

Within the company's claims several well defined fissures occur. One of these is the silver-bearing lode in the south portion of the holdings; and the other the copper-bearing lode in the northern. The others have not yet been explored for minerals. These veins are more or less parallel to one another; they strike approximately 20 degrees south of east, and attitude, stand close to the perpendicular-- dipping slightly to the south.

The silver lode is well exposed within the tunnel driven on it; also it shows eastward for upwards of 1000feet in the cliffs above; and in outcropsin the valley below several hundred feet westward of the tunnel entrance. Again, on the east side of the mountain spur, in Miller Rivervalley, in line with the continuation of the strike of the vein over the compsny's claims, there is a well developed prospespect- The Cleopatra - which carries ore similar in every respect to the ore of the silver lode tunnel. The horizontal distance between the two points is approximately one mile. In the light of these facts, there would seem to be no question but that this vein continues the full distance across the company's five claims and through the mountain to teh Miller River Prospect; which would make a toatl distance in the neighborhood of 8000 feet. It may not continue unbrokenly for the full distance - there may be faults or breaks of different kinds - but thus far none of these are apparent. The accompanying map shows this feature of probable continuity. Again, since the fissure has such considerable length, it undoubtedly

Also has considerable depth- in this case, probably not less than 2000 feet below the present tunnel level.

The filling material of the silver lode consists almost entirely of quartz - in small, granular, vetreous crystals which in color vary from clear or white, through grays and light browns, to pinkish. The rock is much gnarled and cross-veined and shows numerous, small crystals lined cavities. Mineralization shows throughout, either in isolated specks and small bunches, or in ribbon form. This latter being the case along the contact with the wall rock. All of the infilling cannot be classed as ore - some of it is high grade and some of it low. A thin clay gouge shows on each wall, but no slickensides or evidence of much movement appears.

The ore, so far as the present workings and showings are concerned, may properly be classed as an arsenide. However, as sulphur and antimony and bismuth are present, there will doubtless be other forms. The region has been subject to intense and prolonged volcanic activity and any or all of the usual effects of such activity may result here, The ore, therefore, should be considered as complex. Genetically, this ore is derived from deep-seated sources, and has found its present loci through the mediums of ascending, low-temperature solutions. Just what nature of these solutions are, is not known; but the inference is that sulphur and chlorides, the latter derived from salts in the granited, have much to do with it. However, without going into the details of the chemistry of this type of deposit, it may be stated briefly, that the present arsenical and antimonial association probably represents the uppermost condition; that the next lower, will be a sulphur and a sulphur-iron association in which the silver may occur in sulphide form and be much richer than at present; and that the lowermost will be a copper association. In this latter, the copper lode may play some part. Just where, or how extensive the zones carrying these conditions are, is not known; from the fact, however, that sulphides are showing in the present workings, it is proable a change is not far distant.

The infilling of the copper lode is mostly a gangue of mixed quartz and calcite. It has a coarsely granular structure and is more or less soft. The rock varies from white to light gray and brown. A thin clay gouge defines clearly the contact with the enclosing country rock. Like the silver lode, slickensides do not appear. Mineralization shows in the workings in small, quartz stringers carrying chalcopyrite. Whether or not the main body of the gangue material carries copper in quanity was not determined. It could be seen that it carries some, however, for numerous drips at the roof of the tunnel showed high copper colors, Mineralization shows also in rocks on the dump, and there is an extensive surface showing some distance west of the tunnel, on the strike of the vein. The nature of this infilling rock, and the fact that it carries copper-laden waters moving downward, offer possibilities of zones of accumulation below.

As the writer's objective was chiefly an examination of the silver lode, not much time was given to the copper-except to get an idea of its general characteristics and its possible relation to the other. Enough was seen, however, to gather a fairly favorable opinion, and it is urged that further exploratory work be done on it.

VALUE OF THE ORE

In the silver lode tunnel, and as far as can be seen on the surface, the vein material is divided into high grade and low grade ore the former ranging from about one-eight up to possibly one-fourth of the sectional area. Average values, therefore, will depend on how much of the low grade ore it is necessary to mine in mining the high grade. This is where good judgment will have to be exercides in mining. In this instance, all ore having a value less that $ 5 should be considered as low grade; all above this value, as high grade.

The best data available on the value of this ore are the reports by Mr. Morse and Mr. Blum on their individual samplings of the first 70 feet of the tunnel. These samplings were taken over 5-foot

sections and were evidently carefully and well made and should give a fair idea of what the ore through out the upper portion of the vein, should run. In addition to the above the mill operations - though of only short duration - also throw light on the values. In the latter, it was found that the ratio of concentration was about 15 to 1. The results of a careful study of these reports is given in following tables.

HIGH GRADE ORE
(AVERAGE OF SAMPLINGS)

BY	NUMBER MADE	WIDTH OF VEIN	SILVER OZ	GOLD OZ
Morse	18	13.6"	55.47	.053
Blum	16	8.0'	59.85	.0442

LOW GRADE ORE
(AVERAGE OF SAMPLINGS)

Morse	13	48.46"	1.93	.008
Blum	16	29.00"	2.60	.009

MILL OPERATIONS

BY	DATE	HEADS AG	HEADS AU	TAILS AG	TAILS AU	CTS AG	CTS AU	WT
Blum	oct 5-29	25.25	.04	.65	.01	274	.45	?
"	" 26-29	18.20	.03	.036	.Tr	187	.95	600#
"	" 28-29	44.04	.04	3.20	.01			
"	Nov 1	18.20	.04	.50	.Tr	350	.16	750#
"	" 3	24.20	.04	.50	.Tr	271	.20	1350#
TACOMA SMELTER	Dec. 16					200	.179	2682#

In mining in the chutes and ore bodies, it is necessary in order to have working room, to allow not less than 3 feet for width of excavation. Therefore, on the basis that the high grade portion of the vein is 1 foot wide, it will be necessary to mine out 2 feet of low grade. Adjudicating this, we get the following;

1 ton of high grade	Silver 57.66 oz.	Gold .0486 oz.
2 ton of low grade	Silver 4.53 "	Gold .0170 "
	3) 62.19 "	3) .0656 "
		.0228 "

Averages (rough) 20.00

20 oz. silver @ 56¢	$11.20
.0228 gold @ $20	.45
Average value of the ore	$11.65

The above figure represents the value of the ore over the narrower portions of the workings - that is, where the high grade runs about 1 foot wide. If the vein continues for any distance, as the surface showings indicate it does there will undoubtedly be chutes and swells and extensive bodies of high grade which will naturally raise the unit value of the ore considerably. Again, as was previously stated, the present workings are in the horizon of arsenides at greater depth there will be a change in the association, which will

probably bring about higher silver values. Therefore, the above figures can be taken as safe.

AMOUNT OF ORE AVAILABLE

In every mining operation it is necessary to keep development sufficiently ahead so that the area worked can supply whatever the daily output requirement may be. This is measurable and called "ORE BLOCKED OUT;" any ore immediately beyond this area, or ore partially blocked out, is called "ORE IN SIGHT;" and ore showing, or theoritically where ore ought to be, is considered as "PROBABLE ORE."

At the present time there is actually no ore "BLOCKED OUT" in the silver lode tunnel. The ore in the immediate vicinity of the tunnel may considered as "ORE IN SIGHT," but none has been mined into so as to make it measurable. The usual practice, where conditions for continuity are as favorable as they are here, is to consider that the area lying within 100 feet of the workings does contain ore, and that this ore may be assumed to be "AVAILABLE."

On one of the accompanying sketches is shown a section through the silver lode tunnel and the area considered as available ore. Roughly, it is figured that these areas contain between 6000 and 10,000 tons.

OPERATING CONDITIONS

The width of the vein here is such that a minimum of timber will be required. So far, no water has been encountered, and there will probable be but very little untill a greater depth is reached. To all appearances the rock breaks easily, which will necessitate a minimum of powder. Actual mining can be done under favorable conditions Of course, this is a region of heavy snowfall, and inconvenience will be experienced from it at times; but this situation can be met by adequate preperation. Taking everything into consideration, there would seem to be no reason why mining cannot be carried on here equally as easily as at other places.

In dressing the ore, the ordinary practice of wet crushing is in use. This is no doubt satisfactory, but it would appear that the introduction of a table, ahead of the flotation system, would be of advantage. It would seem advisable too, on account of the complex nature of the ore not to attempt any further reduction or treatment of it at this time - simply concentrate and ship as such.

The one difficulty that presents itself now is that of getting the concentrates out at a reasonable cost. Packing at the present time is in two stages - down Bear Creek for 3½ miles to the Lenox Creek camp, thence 16 miles to the highway. The first part is steep, the second is practically a water grade. It would seem possible to overcome the difficulties of the first stages by running the concentrates down through a small pipe line to settling tanks; and that of the second stage, by widening the trail so as to operate a small tractor. Possibly other methods could be worked out; these have suggested themselves, and would not appear to be costly.

PROBABLE COSTS

The following is an estimate of the probable cost of production, in the early stages of operations It is based on an out put of 50 tons per day and the use of the present facilities and conditions approximately as they are at this time;

Mining - including timbering and development	$1.50
Milling and concentrating	1.00
Transportation	1.00
Treatments, discount, etc.	1.30
Administration	.30
Amortization, depreciation, etc.	.50
Maintenance, incidentals, etc.	1.00
Costs of production per ton of ore	$6.60

POSSIBILITIES

Because the silver lode persists for such a considerable lenght, it undoubtedly has considerable depth - an expression being that a vein is as deep as it is long. This, however, is not a proven law; it only serves to give an idea; In the light of the present information as to depth attained by other fissures in this region, it would seem safe to assume a depth, here, of at least 2000 feet below the present workings.

Again, because this lode is a fissure, it undoubtedly has the usual characteristics of all fissures in varying in width over short distances - both horizpntally and vertically. Therefore, any ore bodies it has cannot be measured until they have been more or less developed. On the surface, the vein shows widths in the neighborhood of 4 feet; in the tunnel, it varies from a little less than 1 foot up to 8 feet - the average being about 2 feet. These measurements give an idea of what may be expected throughout.

Based on the general dimensions given, the area shown in section through the mountains, on the accompanying map, should contain a volume running into several hundred thousand tons of ore. If the fissure descends for the normal distance it should, and is ore-bearing, as it will probably be found to be, this tonnage can be increased proportionately.

The above are the possibilities offering in the development of this property. In the writers experience, it is one of the best prospects in this part of the country and fully warrants expenditure to prove. Is success would seem to be simply a question of good judgment and handling.

****

SUMMARY AND RECOMMENDATIONS

In considering the proposition as a whole, in relation to the special objective of the examination and this report, the following is the way the writer views the situation:

The property contains a number of well defined fissure veins of which the silver lode should be considered as the one of immediate importance. That, while this lode offers considerable possibilities of eventually being made into a mine, and has been prospected to the point that it is known to carry ore which can be profitably converted; and, while it has been equiped with a 50-ton mill and facilities, there is as yet not sufficient ore developed to operate the latter for more than a few days time.

The needs, therefore, of the situation, is development in the mine.

On the accompanying map showing a longitudinal section through the silver lode tunnel, the writer shows, in outline the initial work that should be done to start development. This contemplates the driving of about 500 feet of tunnel and raises into what is called "ORE IN SIGHT". With this work done, the mine would

then have in the neighborhood of 5000 tons capacity, for about 4 months time. This ore, on the basis of present, known values, should have a gross value of about $60,000, and should be converted at a cost not to exceed $40,00. This would yield a sufficient earnings to continue development on the same scale.

To carry the above program through, the following is recommended:

1st. That a suitable air compressor be purchased and so installed that it can be driven by the present mill waterwheel, then connect to the air system now in the mine. Also, that an additional air-drill, together with necessary fittings, etc., be purchased; and, that sufficient powder and other supplies be taken in at the same time.

2nd. That 4 men be engaged to this development, and whatever preparatory work, such as clearing the trail, putting up bridges, temporary shelters, etc., may be necessary to do.

With this machinery properly installed, and living conditions made comfortable, these four men should be able to accomplish the 500 feet of work outlined, in about 4 months time. This done, the mine will be ready for an increased crew and the out put should be such as to keep the mill running the full season.

The above program calls for the following financial requirements:

1 2-cylinder, 100 ft. compressor	$ 500.00
1 rock hammer drill, complete	350.00
500 feet of 2" pipe ?	100.00
1000 feet ¾" steet cable, pulleys, etc.)	
1 small hand winch, short chains, etc.)	75.00
Blasting powder	100.00
Grub, supplies, etc.	400.00
Freight and hauling	200.00
Wages	2000.00
	$3725.00

To be raised for the purpose, say a total of $5000.00

****

G E O R G E J A M M E
Mining Engineer
Seattle - Washington

May 19, 1928

Mr. O. H. Peterson
Sec'y Snoqualmie Mining Co.
Seattle, Washington.

Dear Sir:

In response to your request for further information pertaining to the large copper lode on your property, I enclose herewith a blueprint showing the workings, and the general features surrounding somewhat in detail, which I trust may be what you desire.

I find, on looking over my report of November 1926, that I had omitted giving dimensions, etc., in the text, but did show it, all drawn to scale, on the accompanying blueprints.

This lode is one of a series of fissure veins on your property. It has a general east-west trend, parallel with the others; shows at intervals on the surface over a distance of 3000 feet; and stands practically in a vertical position. It has been developed by about 600 feet of tunnel - 100 feet of which are in crosscut of the vein proper. Within the workings, the vein has width of 50 feet, and the surface showings would indicate that it continues about that dimension for a considerable distance beyond. As stated in my report: " The infilling of the copper lode is mostly a gangue of mixed quartz and calcite. It has a coarsely granular structure and is more ore less soft. The rock varies from white to light-grey and brown. A thin clay gouge defines clearly the contact with the enclosing rock. Like the silver lode, slickensides so not appear. Mineralization shows in the workings in small quartz stringers carrying chalcopyrite. Whether or not the main body of the gangue material carries copper in quantity, was not determined. It could be seen that it carries some, however, for numerous drips at the roof of the tunnel showed high copper colors. Mineralization shows also in rocks on the dump, and there is an extensive surface showing some littly distance west of the tunnel - on the strike of the vein. The nature of this infilling rock, and the fact that it carries copper-laden water moving downward, offers possibilities of zones of accumulation below."

This is the largest mineral-bearing fissure the writer knows of in this part of the country, and, in the light of data available at other properties, as to depths at which ore is found - also in the light of the nature of this infilling gangue - it would seem logical to look for and expect to find large bodies of high grade ore at depths below the present workings. The exact horizon at which such ore bodies are apt to be found here, cannot be definitely stated now for not sufficient is yet known of local conditions, but it would seem safe to figure on commercial ore coming in at 600 feet below the present workings and continuing in varying amounts to a depth of 2000 feet lower.

Having the above facts in mind is why the writer, in the previous report, expressed a favorable opinion as to the possibilities of this lode, and urged that further exploratory work be done on it. This exploratory work can be done by drills; and its location should be selected with respect to the most suitable outlet. The matter is a question of more study; and again, the writer urges that such be done, because conditions fully justify the outlay.

Very truly yours

(Signed) Geo. Jamme

232 Burke Bldg.

STATUTORY STATEMENT - CONSOLIDATED MOLYBDENUM INC.

Filed with Director of Licenses of State of Washington.

EXHIBIT 1. Incorporated in State of Washington, May 25, 1948.

EXHIBIT 2. Address of registered business office in State of Washington: 14521 Aurora Avenue, Seattle 33, Washington.

EXHIBIT 3. List of officers, all of whom are directors, holding office for term of one year, and amount of stock held:

G.L.Hansen, ~~president~~ Vice President, 614 Yale Avenue N., Seattle, Wash. 127,500 shares held
L.J.Madden, ~~vice president~~ Director, Rt.3 Box 415, Bremerton, Wash. 127,500 shares held
K.O.Welling, secretary, 14521 Aurora Ave., Seattle, Wash. 127,500 shares held
E.A.Amburn, treasurer, 1814 25th S., Seattle, Wash. 127,500 shares held
C.L.Johnston, director, 245 S.Montgomery St., Bremerton, Wn. 127,500 shares held
E. Saurers, director, Rt.3, Box 415-B, Bremerton, Wash. 127,500 shares held
J. Madden, director, Rt. 3, Box 415, Bremerton, Wash. 127,500 shares held
G.M.Osterberg, director, 756 Stimson Bldg, Seattle, Wash. 127,500 shares held
V. Osterberg, ~~director~~ President, 19345 37th Ave.N.E., Seattle, Wn. 127,500 shares held
Mrs. L.Liptrap, director, 403 Bay Bldg., Seattle, Wash. 127,500 shares held
J. Zybura, director, 4409 - 36th So., Seattle, Wash. 127,500 shares held
Mrs.E.L.Watson, director, 756 Stimson Bldg., Seattle, Wn. 127,500 shares held

EXHIBIT 4. Number of shares of common stock authorized, all nonassessable, 3,000,000 shares, par value 10¢ each. Preferred stock, None.

EXHIBIT 5. Consolidated Molybdenum, Inc., issued 127,000 shares to each of twelve incorporators. 1,530,000 shares are placed in escrow with Frederick W. Post, 6251 - 31st N.E., Seattle, Washington, under agreement with Department of Licenses.

EXHIBIT 6. Consideration received by company from shares issued and outstanding July 1, 1948, is: On 1,530,000 shares, $153,000 value placed on lease and organizing.

EXHIBIT 7. Statement of Assets and Liabilities as of July 1, 1948.

ASSETS		LIABILITIES	
Lease on property.....	$127,500.00	Common Stock issued.....	$153,000.00
Deferred charges, prepaid expenses.....	25,500.00		
TOTAL.....	$153,000.00	TOTAL.....	$153,000.00

EXHIBIT 8. Number of shares or other securities to be issued to public in present offering:

	No. Shares	Offering Price
Common Stock.....	1,470,000	10¢
Preferred Stock.....	None	None
Approximate amount expected to be derived from sale..		$147,000.00
Approximate amount of commissions to be paid.....		36,750.00
Approximate amount of exploration work, development work, and equipment to be purchased.....		110,000.00

EXHIBIT 9. Rate of commissions to be paid and form of payment. (In money or company's securities).

1. Agents..... 25% in money
2. Member of corporation as selling agent,.. 25% in money
3. Underwriters..... None

Amount of salaries to be paid for ensuing year:
No salaries are to be paid to the president or vice president or secretary or treasurer or general manager or others.

EXHIBIT 10. Names and addresses of authorized Agents or underwriters at time of filing:

G. M. Osterberg, 756 Stimson Bldg., Seattle, Washington
Vernon Osterberg, 19345 - 37th Avenue, N.E., Seattle, Washington
Mrs. E. L. Watson, 756 Stimson Bldg., Seattle, Washington
Mrs. Lillian Liptrap, 403 Bay Bldg., Seattle, Washington
John Zybura, 4409 - 36th South, Seattle, Washington
Garry L. Hansen, 614 Yale Avenue North, Seattle, Washington
Leonard J. Madden, Rt. 3, Box 415, Bremerton, Washington
Jack Madden, Rt. 3, Box 415, Bremerton, Washington
E. A. Amburn, 1814 - 25th South, Seattle, Washington
Kenneth O. Welling, 14521 Aurora Avenue, Seattle 33, Washington
Edwin Saurers, Rt. 3, Box 415-B, Bremerton, Washington
Carl L. Johnston, 245 S. Montgomery Street, Bremerton, Washington

EXHIBIT 11. (a) Describe fully history of company. (b) Describe claims and give their approximate location, and type of mining to be engaged in. (c) Give valuation of claims. (d) Proposed work. (e) Type of machinery and equipment to be purchased. (f) Briefly outline purpose for which funds are to be used.

Consolidated Molybdenum, Inc. was organized in May, 1948. It does not succeed any other form of mining company; it is a completely new company. The claims are located in the Buena Vista Mining district, which district is approximately 25 miles North and East of North Bend, Washington. The company has a 99 year lease on 8 claims (approximately 160 acres) lying in Section 27, Township 25 North, Range 10 East, W. M., King County, Washington. No royalties or other cash payments are payable under the lease. Ten of the incorporators own the claims and have exchanged a leasehold interest in the claims for stock in the company.

The value of the claims with improvements is $127,500.00. Some tunnel work has been done. At the point of access to the ore bearing vein, a swift mountain stream called "Devil's Canyon" cuts through the vein. A tunnel has been driven into the side of the canyon, to curve around to the vein and escape the water. Further development work proposed by the company includes driving the tunnel into the ore bearing vein; construction of housing facilities for workers, erection of mill and flotation plant, and the installation of a tram from mine to mill, together with the necessary grading.

The machinery needed and proposed to be purchased includes; Diesel power plant, 50-ton mill, flotation plant, air compressors and drills, tramway equipment and hoist, bulldozer, together with the necessary accessories and tackle for such equipment.

The purpose for which the funds will be used will be to provide access roads to the public roads, grade and level the land upon the mining claims, erect such buildings as are necessary to house men and equipment, purchase mining, milling and flotation equipment, and to develop the tunnels and shafts to the point of production; thereafter, to provide capital for the maintenance of payrolls, payment of taxes, and purchase of supplies.

There is no present authorization in the organizational plan of the company for the payment of salaries to the officers as such, and no such action is contemplated until production problems necessitate sufficient amounts of their time that salaries are deemed necessary by the board of directors in order to secure the type of administration needed to carry on the work.

Dated May 25, 1948.

(Corporate Seal)

CONSOLIDATED MOLYBDENUM, INC.

Garry L. Hansen

By G.L.Hansen, President.

Attest: K.O.Welling, Secretary

OFFICE
305 Howarth Hall
College of Puget Sound
Pr. 3521

FREDERICK A. McMILLIN
Economic Geologist
Tacoma, Washington

RESIDENCE
3101 North 31st Street
Pr. 1715

On October 7 to 9, 1949, an attempt was made to examine the holdings of the Consolidated Molybdenum, Inc., property located in sec. 26 and 27, R10E, T 25 N, W.M. Conditions of weather made a complete examination impossible. Determination of the nature and character of the veins was possible and this section of the report will deal with this phase.

The location of the vein is in Devil's Canyon. Erosion has removed, within recent times, some 200 feet of vein material from the canyon.

The wall rock of Devil's Canyon is pre-Cascadian Granite (Hornblend Biotite Granite). The sequence of events that produced Devil's Canyon are: (1) Normal fault in which the west block has dropped, thus giving a vertical displacement of the two sides. This component was not accessible within the time spent on the property. (2) Into this fault was intruded a fissure vein of quartz. The vein material is glassy and well frozen on the wall of the respective blocks. (3) At some later time a dilation dike of Cascadian granodirite was introduced. This dike opened the old fissure forcing the respective wall apart to the extent of three to ten feet. (4) The next movement is not clear in relation to the time element, but a sufficient time later the dike had crystalized. This was a lateral movement, again involving the foot block that moved to the south. Either simultaneous with this movement or at some time later, quartz carrying sulfides invaded the dike. This invasion filled the fractures and replaced some of the original quartz and rock minerals. Mineralization is in all three components of the zone. The characteristic mineral is molybdenite with lesser amounts of other sulfides. This type of deposition is known as "deciminated replacement" and is one of the known types of molybdenum deposits.

Molybdenite tends to deposit in definite zones, but just what part of the zone of deposition is represented by the area that is intersected by the tunnel is not clear; however, it is my impression from what I observed that the location of the tunnel is about midway in the zone of molybdenite deposition. At a higher elevation represented by advancing up the canyon, the other sulfides seem to run stronger. At some distance down the canyon, there are tear faults that have a good showing of molybdenite. These facts would seem to establish the above hypotheses.

There were no samples taken at this time for assay. Samples should be carefully cut from wall to wall and of uniform depth and assayed. Until this is done very little can be said as to whether the Devil's Canyon is a mine or not. Just by visual inspection, it would appear that there is enough strength to the deposit to warrant a complete sampling and detailed examination.

After sampling and assaying has established the tenure of the ore, then a mining engineer could lay out a mining system for the adequate development of the property. The topography is such that the location of tunnels and the necessary appurtenant works would not present a problem.

On August 19, 1950 the property of the Consolidated Molybdenum Incorporated was visited by the author with the purpose of completing the examination that was started last October and abandoned because of adverse weather conditions. The canyon was explored except the extreme upper end. Heavy rains made the entrance of the canyon at this point impossible.

In the preliminary report the rock conditions were discussed in detail and the type of veins were studied. Here the author will only augment that report and make some changes in the sequence of events that lead to the deposition of molybdenite as the characteristic sulfide mineral.

The Consolidated Molybdenum Incorporated properties are in Section 26, 27; R.10 E.; T.25 N.; W.M.

The past history of the property is not recorded in the literature and is unknown to the author. However, in "Mining in the Northwest" edited by L. K. Hodges in 1897 there is a statement that as early as 1892 prospectors had crossed the divide from the Skykomish - Miller riverside into the watershed of the Snoqualmie river. However there is no mention of Molybdenite made at this time.

Metallic Molybdenum was isolated in 1782 but no large scale production was made until 1913 and real important production began in 1927. Practically all molybdenum produced is utilized in the making of alloys of iron and steel. Molybdenum acts like tungsten but more so. It requires approximately 50% less molybdenum to obtain a similar quality of alloy. Molybdenum is at the present the most important hardening alloying metal. Strength, ductility, and a tendency to resist crystallization in iron and steel are increased by the use of molybdenum. Molybdenum alloyed steels are extensively used where strength, heat resistance, and resistance to crystallization are required as in aircraft parts, automobiles, shafts,

high speed tools, gears, guns, and armor plate. These uses make molybdenum a critical metal in peace as well as war.

Geology: The walls of Devil's Canyon are pre-Cascadian or early Cascadian granite (hornblend biotite granite). The sequence of events that produced Devil's Canyon are:

(1) Normal faulting in which the west block had both a strike and dip component. This resulted in both vertical and horizontal displacement. Erosion has obscured the amount of this movement and as it has no direct relation to the events that produced the mineralization very little time was spent on this consideration.

(2) Into this fault was intruded a dilation dyke of granodiorite. This granodiorite is of the so called Cascadian granodiorite type.

(3) A second series of movements took place that shattered the granodiorite dike but apparently did not extend into the wall rock.

(4) Into these secondary fractures were intruded quarts in small amounts. Well formed crystals were present in places.

(5) Movement was again active. This third movement extended into the canyon wall producing tear faults in the downthrow block, West block, or foot wall.

(6) At sometime later, probably at or near the last stages of Cascadian intrusive action, veins of moderate high temperature quarts invaded all fractures. These solutions and vapors carrying quartz and molybdenite were under sufficient pressure to invade the granodiorite, depositing fine grained molybdenite in the spaces between the crystals of the rock. In some places rosettes of molybdenite occures in the granodiorite.

The Quartz carrying molybdenite is in the main glassy with the molybdenite occurring within the quartz as well as at the contact of the veins with the wall rock. These quartz veins make up approximately 25% of the mineralized area.

Devil's Canyon is a narrow slot left by the erosion of the quarts bearing granodiorite dike. The walls are precipitous and the grade of the canyon is roughly 22 degrees. This, however, is interrupted by several abrupt cliffs in the floor of the canyon and becomes a torrent even with a small amount of rain. Much of the canyon floor is covered with detritus that obscures mineralization.

Deer Gulch is the main tear fault that cuts the foot wall block. This fault has the same history as the main Devil's Canyon fault and contains the same type of mineralization. The vein in Deer Gulch may be the vein that is cut by the tunnel in Devil's Canyon, but more probably it is a tear fault vein of simultaneous origin. However there is evidence that there is a second dike east of Devil's Canyon. This was not investigated but should be.

The mineralized zone varies in width from two feet to ten feet. The pinching and swelling follows the original fault walls and is characteristic.

As elevation in the canyon is gained by advancing up the canyon, other sulfide minerals appear. This is the normal history of veins of this type. The description of the mineralized area was difficult because of the erosion. One rarely sees the entire width of the mineralized dike and the quartz veins that accompany it at a single exposure. The dike rock has had some alteration as the result of the intrusion of the quartz bearing hot solutions. This has made the deposition of the molybdenite possible by opening minute channels between the crystals that were disturbed by the fault movement. In the granodiorite that has been exposed by the erosion and acted upon by the air plus some acide waters, some of the molybdenite has been altered to molybdite, Mo_2O_3 or molybdenum ochre. This gives the rock some of the characteristic yellow appearance. This should not be confused with the yellowish color of the iron stains of limonite.

The quartz veins range in width from almost undiscernible veinlets to veins six inches wide. Associated with the quartz vein matter is a small amount of serisite probably derived from the alteration of the feldspars. The dissemination of molybdenite in both the granodiorite and the quartz veins is not uniform in

concentration but leans and strengthens from area to area. Where the vein is broadest the mineralization may be reduced per unit area, but the amount of mineral present will be approximately the same. Where two quartz veins or late faults intersect there is a tendency towards enrichment. The overall is a strong showing of molybdenum with ample tops to make an operation advisable.

Before much capital is invested for other purposes there should be a drilling program planned and the results of such a program carefully studied. This will tell just how much ore there is present and how it is concentrated. As the property now stands it is a raw prospect and there is no ore that can be estimated or described farther than to say that there is, on the basis of surface showings, a sizable tonnage of theoretical ore.

As molybdenite tends to deposit in a definite zone under rather a narrow thermal range, it would appear that the location of the present tunnel is in the upper part of the lower half of the mineralized zone. A new location should be sought at a lower level and a mining engineer employed to lay out the mining methods. Such a location could be found about two hundred feet below the present tunnel level.

After careful examination of the property it is my recommendation that the Board of Directors draw up a plan that will give a comprehensive and logical approach to the problem. This should be in writing for future reference. Discoveries should be made on the other two claims and trails blazed to said discoveries so that they may be readily accessible for examination.

A new cabin and such other buildings as are appertenant should be planned for early spring and so located that the danger of snow slides would be avoided. The present cabin is untenantable.

At the places where ropes are now used, trails should be cut around in the cliff so the canyon can be seen as a whole without endangering life and limb.

Hand samples are inadequate so large samples should be taken from several cuts and keep separate. These can be cut with powder and sent to some established firm that is equipped to make a concentration test on the ore. Samples should be in the neighborhood of 500 pounds each.

It is my belief that such a method of sampling would show enough strength to the ore body to warrant development in the immediate future.

/s/ F. A. McMillin

F. A. McMILLIN
Economic Geologist

CONSOLIDATED MOLYBDENUM, INC.

BALANCE SHEET
December 31, 1950

ASSETS

Current Assets:		
Cash	$ 219.31	
Accounts Receivable	600.00	
Total Current Assets		$ 819.31
Fixed Assets:		
Deferred Development	$ 2, 227.54	
Office Furniture and Fixtures	15.75	
Land	153,000 .00	
Total Fixed Assets		155,243.29
Total Assets		$156,062.60

LIABILITIES

Current Liabilities:		
Pledges Received	$ 300.00	
Pledged Contracts	600.00	
Total		$ 900.00
Capital:		
Capital Stock, Authorized	$300,000.00	
Less - Capital Stock, Unissued	145,600.00	
Capital Stock Issued		154,400.00
Paid-in Surplus		762.60
Total Liabilities and Capital		$156.062.60

Form MF-103
(April 1951)

U. S. DEPARTMENT OF THE INTERIOR
DEFENSE MINERALS ADMINISTRATION

Budget Bureau No. 42-R1035.
Approval expires 6-30-51.

APPLICATION FOR AID FOR AN EXPLORATION PROJECT PURSUANT TO MINERAL ORDER 5, UNDER DEFENSE PRODUCTION ACT OF 1950

DO NOT FILL IN THIS BLOCK

Docket No. dma 1744 X

Date received 6-27-51

Participation

DEPARTMENT OF THE INTERIOR
Defense Minerals Administration
RECEIVED
JUN 27 1951
LANDON F. STROBEL
Executive Secretary

Consolidated Molybdenum Inc.
801 Central Building
Seattle 4, Washington

Name and address of applicant

Date May 28, 1951

FILL IN THIS BLOCK

Date of application May 28, 1951

Estimated cost $5,000

Mineral or metal Mineral

Percentage of Government participation 90%

Location of mine King County, Washington

Date of filing MF-100

DMA Docket Number, if available

INSTRUCTIONS

Read Mineral Order 5, Regulations Governing Government Aid in Defense Projects, before completing this application. Submit four signed copies of the application to Defense Minerals Administration, Department of the Interior, Washington 25, D. C., or to the nearest field executive officer thereof, with your name and address on each sheet of the application and all accompanying papers. If any question is inapplicable, or if you cannot answer it, so state on the form. Where the space provided for answer is insufficient, answer on a separate sheet, annex it to the application form, and refer to it in space for answer. If the application is approved, you will be presented with an exploration project contract on Form MF-200, for your signature.

THE APPLICANT

*1. Is applicant an individual, partnership, or corporation?
*2. If a partnership, state names and addresses of partners.
*3. If a corporation, state names and addresses of officers, directors, and five largest stockholders.
*4. Describe the mining and general business experience of (*a*) the applicant, and (*b*) the person or persons who will manage the project.
*5. Are you the owner or the lessee of the property?
6. If owner, state what claims, liens, or encumbrances, if any, are against the property.
7. If lessee, attach a copy of the lease and state if it is in good standing.

NOTE.—It will be necessary to procure and attach to the exploration project contract agreements of claimants, lienors, encumbrances and lessors subordinating their interests in the property to the interest of the Government under the contract.

8. Furnish current financial statement, showing assets and liabilities, and a profit and loss statement.
9. How much money is applicant prepared to invest in proposed project? Is it sufficient to pay your part of the cost of the project as detailed in question 23 of this application form, in accordance with the regulations on Government participation (Section 9 of Mineral Order 5)?

*If you have already answered these questions on MF-100, you are not required to answer the questions for this application.

16—64067-1

THE PROPERTY

10. (*a*) Give a description of the real property that will be in any way involved in the exploration project, including any existing mine or operating property.
    (*b*) Give the legal description of the exact parcel, plot, or area upon which the exploration is to be conducted.

    NOTE.—If both areas are the same, so state. The only obligation to repay the Government is from the net earnings from any commercial discovery made in the area specified in (*b*) above in which the exploration is to be conducted, and the expenditure of funds which may be charged as costs of the project must be limited to that area or to work necessary to perform the exploration in that area.

*11. State the present and former names of the property, if any.
*12. State, in detail, the location of the property with reference to towns, railroads, roads, shipping points, including distances and directions and kinds and conditions of roads.
*13. State source and quantity of water available for operations and its sufficiency at all seasons.
State amount of power to be used, rate per hour or other cost, and source.
*14. Describe any existing useable facilities, equipment, buildings, or structure now on the property that will be devoted to the exploration work.
15. State in detail how the ore could be shipped and how and where milled.
*16. History:
    (*a*) Give a statement, as complete as possible, of previous exploration, development, operation, and production of property, with reasons for any past suspensions of operations.
    (*b*) State briefly the known history and production of adjoining and neighboring properties.
    (*c*) Furnish any available (private) reports that may apply to this application, including results of mine examinations, recommended exploration and development, and metallurgical investigations.
*17. Production:
    (*a*) If mine is in production, furnish the following information:

	Tons per day	*Grade or analysis*	*Cost per ton*	*Net value per ton*
(1) Mining				
(2) Milling				
(3) Shipped or sold				

*18. Ore or mineral reserves: (If property is or has been operating.)
    (*a*) Describe the ore or mineral deposits briefly.
    (*b*) Submit available maps and assay data.
    (*c*) Give estimated tonnage and grade of each class of ore reserves.
19. State any conditions or circumstances regarding the property not sufficiently brought out by the foregoing questions.

THE EXPLORATION

20. For what mineral or minerals and for what types of deposits and ores will the exploration be conducted?
21. Describe briefly, but concisely, the proposed work and the estimated time required to complete it.

    NOTE.—The Government will not participate in a project that will require more than 2 years to complete.
22. Furnish statement of the geological basis of the project with particular emphasis on factors leading the operator to expect the finding of commercial ore bodies. This statement should be accompanied by supporting maps such as geological maps, maps of the proposed openings and assay maps, sample lists, and other pertinent data.

THE REQUIREMENTS AND COSTS

23. Tabulate in the form of an itemized statement with a sum for each item the estimated requirements and costs of the project so that the total will give the estimated cost of the project in which the Government will participate, as follows:
    (*a*) Labor, by numbers and classes (miners, muckers, millmen, etc.), with wages of each.
    (*b*) Supervisors, by numbers and positions, with salaries of each.
    (*c*) Cost of necessary repairs to existing facilities, structures, and buildings.
    (*d*) Cost of necessary installation or construction of additional facilities, structures, and buildings.
    (*e*) Cost of items of equipment, not now owned by the applicant which must be purchased for operations at a cost of $50 or more each.
    (*f*) Cost of rental for equipment which the operator proposes to rent.
    (*g*) Rental value of items of equipment which the operator now owns and which will be devoted to the work.
    (*h*) Cost of materials and supplies, including items of equipment costing less than $50 each.
    (*i*) Cost of power, water, utilities, and any other items not provided for above.
24. Furnish a time schedule of the project, stated in terms of months after project is approved, showing progress expected to be accomplished and the money expected to be spent.

CERTIFICATION

The undersigned company, and the official executing this certification on its behalf, hereby certify that the information contained in this form and accompanying papers is correct and complete to the best of their knowledge and belief.

CONSOLIDATED MOLYBDENUM, INC.
(Name of company)

By _____
(Signature of authorized official)

May 28, 1951
(Date)

President
(Title)

Title 18, U. S. Code (Crimes), Section 1001, makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

*Same as footnote on page 1.

16—64067-1 U. S. GOVERNMENT PRINTING OFFICE

CONSOLIDATED MOLYBDENUM, INC.
~~XXXXXXXXXXXXXXXX~~
SEATTLE 4, WASHINGTON
801 Central Building

1. Corporation
2. Not a partnership
3. Please see page 11 of Mr. Sprague's report which is attached.
4. The applicant has been familiar with mines and mining for about the past 20 or 25 years and has had many years practical business experience both as a responsible employee of various business firms and operating his own business. The various officers and directors have had many years of practical mining experience as well as business experience.
5. The corporation is the owner of some of the claims and the lessee o f 8 of the claims.
6. None.
7. The lease is in good standing and it is leased for 99 years. Due to the fact that the lease is rather voluminous a copy is not attached, but it can be supplied if it is necessary.
8. Financial statement is attached.
9. We are prepared to invest $500.00 with a go vernment participation of $4,500.00.
10. (a) See page 1 of Mr. Sprague's report.
    (b) Same.
11. Devil's Canyon Mine.
12. Please refer to pages 2 and 3 of Mr. Sprague's report..This mine to market road, which at the time Mr. Sprague's report was written was in the planning stage only, has now been completed and the road is within about 1 mile of Consolidated Molybdenum property. An extension of the road by the State Highway Commission has been applied for and we hope that it will be started in the near future. The property is located approximately 26 miles northeast of North Bend and transportation. The present road is in good condition and will bear heavy traffic.
13. There is a large waterfall on Cougar Creek at the foot of Devil's Canyon and ample water power could be obtained from that source. There is also a small creek which flows down through Devil's Canyon which could be harnassed to a certain extent.
14. Due to the creek coming down Devil's Canyon it was found necessary at the start to drive a tunnel in at the site of the canyon to curve in under the waterfall in order to arrive at the main vein of molybdenum on the property. This tunnel is approximately 220 feet in. There is a log cabin on the property approximately 18 feet square with shake sides and roof. This cabin can be used as a tool shed and for storing equipment.
15. The ore could be shipped by truck after it had been milled on the property. The concentrate could be used as the slag

would drift off.

16. History. (a) This property has been explored mostly towards a development of the molybdenum existing there. The operations were suspended however, because of the lack of a road into the property, but this is being remedied. (b) Bear Basin Mining Company in the area is producing gold, silver and copper. Across Cougar Creek from Devil's Canyon lies the Jackpot Mine which we have been told has zinc. (c) We have already indicated that Mr. Sprague's report is attached and attached also is a report by Mr. Frederick A. McMillan geologist, which is self-explanatory.

17. None.

18. (a) 1. We have a large deposit of quartz crystals. 2. We believe we also have an extensive deposit of molybdenum. 3. We have just recently found that we also have a large deposit of scheelite, but we have not as yet been able to obtain assays or otherwise verify this. (b) See page 7 of Mr. Sprague's report. We will be glad to submit samples of the crystals as we cannot have them assayed and even a hardness test has given us no definite results. (c) The crystals are more than plentiful in the area.

19. These crystals vary in size from small ones to the average which is perhaps about 2½ to 3 inches long by about 1 inch thick. There are indications that the crystals reach a size of about 9 inches long by about 3 or 4 inches through.

20. Quartz crystals.

21. It will be necessary for trails to be blasted in the sides of the cliff leading up to the upper part of the canyon as that is where the crystals predominate. It will be necessary first to erect a suitable tool shed which will be near to the mine itself. It should take about 3 months to complete this.

22. The quartz crystals are predominant in the area and are found in quiart veins. These crystals vary in size from small ones to ones approximately 2½ to 3 inches long by about 2 inches through. There are indications that these crystals reach a length of about 9 inches by about 3 or 4 inches through. We recently attempted to have a hardness test on these crystals but it was impossible to complete it. This was done at the University of Washington.

23. (a) Labor at minimum union wage $3,000.00. (b) Supervisor $500.00. (d) Tool shed $300.00. (h) blasting powder $1,200.00.

24. Project should be completed in about 3 months time.

Very truly yours,

CONSOLIDATED MOLYBDENUM, INC.

V. M. Osterberg
President

VMO:vl

REPORT ON

CONSOLIDATED MOLYBDENUM, INC. HOLDINGS

IN THE BUENA VISTA MINING DISTRICT

KING COUNTY, WASHINGTON

by

OLIN M. SPRAGUE

Professional Engineer
641 N. Callow Avenue
Bremerton, Washington.

"BECAUSE THESE SECURITIES ARE BELIEVED TO BE EXEMPT FROM REGISTRATION, THEY HAVE NOT BEEN REGISTERED WITH THE SECURITIES AND EXCHANGE COMMISSION; BUT SUCH EXEMPTION, IF AVAILABLE, DOES NOT INDICATE THAT THE SECURITIES HAVE BEEN EITHER APPROVED OR DISAPPROVED BY THE COMMISSION OR THAT THE COMMISSION HAS CONSIDERED THE ACCURACY OR COMPLETENESS OF THE STATEMENTS IN THIS COMMUNICATION."

641 N. Callow Av.

Bremerton, Wash.

October 23, 1948.

At your request I have made an examination of the mining claims comprising the Consolidated Molybdenum, Inc. Mine property during October, 1948.

I am embracing my findings in the attached Report. This Report is based upon what I have seen, from certain recorded documents, maps, and from conversations with persons whom I consider to know whereof they have spoken.

The intent herein is to give an accurate description of the property with the purpose in mind of offering duly substantiated facts, or, at times, my conclusions based upon my observations, combined with written documents.

My purpose is to so place my statement of fact, that those interested in what I am saying will be able to draw correct conclusions relative to this Mining Property, upon reading and studying what is to follow.

Registered Professional Engineer.

CONSOLIDATED MOLYBDENUM INC. PROPERTY

The Consolidated Molybdenum Inc. Property is located in Section 27, Twp. 25 N., R. 10 E., W.M. in the northeastern part of King County, Washington. It is in the Buena Vista Mining District. Official Records of the property are kept in the County Auditor's Office, of King County, at Seattle, Washington.

Ownership is by Possessory Right, which, under United States and Washington State Mineral and Mining Laws, means that the claimant in possession can not be disturbed except by some one who shows a better right to the premises.

The present owner has possessed, occupied, and improved the property, and complied with the legal requirements since 1905, or thereabouts.

Claim corners are in place and the boundary lines marked in the usual manner.

There is a log cabin 18 feet by 18 feet conveniently situated upon the property: a good trail leading thereto, and a tunnel 5 feet by 7 feet in section. Some mining tools and cabin equipment.

The general appearance of the property is such as convinces one that the owner or claimant, has thru all these years, valued and cherished this property. The said owner shows by his toil and effort that he has continuously placed faith in the promise the property offers.

It might be further stated as a fact, that the toil and effort put upon the property has been purposeful, and pursued with a high degree of intelligence.

The orebody outcropping and in the tunnel, is a mass and a flaked Molybdenite in a large Pegmatite dyke. There is reason to believe that this property contains at least two other, and separate Pegmatite dykes.

ACCESSIBILITY

The route to the Consolidated Molybdenum Inc. property, starting from Seattle, is over U.S. Hiway No. 10, East to North Bend, some 29 miles, then northeasterly up the County Road following the North Fork of the Snoqualmie River some 26 miles. The 1 st 10 miles of this County Road has been built during 1948, and consists of a well gravelled road, built to support heavy traffic.

It is a Mine-to-Market Road on a right-of-way secured by King County thru Court condemnation. This right-of-way is secured to the Forestry Boundary, one mile further than constructed, and the Lennox Mine is at the further end of this uncompleted mile. Expectation of improvement of this last mile is thru cooperative effort of the owners of property contiguous to the Forestry Boundary and lying around the confluence of the Lennox River and the North Fork of the Snoqualmie.

From the Forestry Boundary, the State of Washington Mine-to-Market Road Commission has surveyed and located a route up the Lennox River some 4 and 1/2 miles, substantially following the old, existing

trail southeasterly to the mouth of Cougar Creek. Plans and specifications have been prepared for construction of this section of road up Lennox River, and contract for construction is shortly expected to be let by the State of Washington Highway Department. Completion of the road is expected, and specified in the Specifications, early in 1949.

The road when constructed will end at the foot of the slope rising to the south and approximately 3/4 mile north of the central part of Consolidated Molybdenum Inc. property.

From examination, access to the property from the end of the Mine to Market Road, as now located, will be upwards of 1 and 3/4 miles of road on a 9% grade, with perhaps one or two "switch-backs". This route would take off up the Lennox River and over a northeasterly slope affording ample way for sustaining the desired grade.

Ground is very good for road construction and with proper drainage should not present any difficulties. The route follows thru a timbered area; hence no snow slide trouble.

DESCRIPTION

The Consolidated Molybdenum Inc. property is a group of 10 claims, center lines of which extend from Cougar Creek South 52° East. The southerly string consists of 4 claims, each 1500 ft. up the mountain side and running from Cougar Creek South 52° East, 6000 ft. Northerly from and parallel and adjacent to this string, are two strings of 3 claims extending so that the southeasterly end lines of all three strings lie in a straight line. Another way of description is to say that 9 claims form a rectangle

4500 ft., or three claims, long, and extending South 52° East up the mountain, and three claims or 1800 ft. wide, at right angles to the slide lines across the upward slope. The tenth claim extends in line from the northwesterly part of the rectangular group downward to Cougar Creek - a handle on a rectangle.

The entire surface of the property is covered with a growth of Alpine and Noble Fir and Yellow Cypress. Some of the Cypress attains a diameter of 6 ft. indicating great age and the trees stand uninjured or deformed from any slides or other catastrophic agencies. This indicates a safe surface.

Along the general center line of the southwesterly four claims up the mountain, there is a canyon, rising on a slope of 35°, or 57 ft. per 100 ft. The walls are sheer granit and rise, in places, upwards of 100 ft. above the floor; the width of the canyon varies from 15 ft to 50 ft.

The floor from Cougar Creek to the top of the slope is a Pegmatite with quartz, lying in laminated formation - 2 to 6 inches of the Pegmatite with a quartz ribbon in between - 1/4 to 3 inches thick. These alternate ribbons fill the entire width between the canyon walls, and the Molybdenite ore is found in this floor formation.

A tunnel 5 ft. by 7 ft. in section is driven in this canyon, in the second claim, some 1200 ft. from and 600 or 700 ft. higher than Cougar Creek.

The portal is in the side of the canyon, safely out of the creek

bed and after traversing thru the granite wall, strikes the Pegmatite vein, 100 feet in, and under the northerly side of the vein. It then follows the vein for a distance of 100 feet to the tunnel face. The walls of the tunnel are impregnated with the Molybdenite ore.

Parallel to and northerly from the canyon there are two creeks flowing in small gulches, in which the same Pegmatite shows up. Their extent is at present undetermined, The indication is more than enough to warrant extensive investigation. A great deal of Molybdic Ocher coloration shows all along each of these creeks and Molybdic Ocher is an excellent guide to underlying Molybdenite deposits.

THE DEPOSIT

The strike of the veins on the Consolidated Molybdenum Inc. Property is South 52° East, the dip is 80° to 90°. The Pegmatite in the Canyon itself lies exposed from the upper edge of the talus above Cougar Creek, upward along the Canyon floor some 5000 ft. It varies in width from 15 to 50 ft. Pegmatites rise from very great depths, and are notorious for their irregular structure. Their depth range is so great that no mine starting on a productive Pegmatite is likely to reach a horizon too deep for further deposits.

Zonal arrangment of minerals within Pegmatite bodies is common, but these changes are usually symetrical with respect to the walls and to the center line, and are not expression of depth. This is to say that any change of mineral within the body takes place immediately across the section of Pegmatite, horizontally, and say, at right angles to the main axis of the

vein; it does not change vertically as in enrichment veins with their zonal arrangement, according to age and specific gravities.

This characteristic of Pegmatites is quite dependable, and applied to the Consolidated Molybdenum Inc. property we have a Pegmatite vein in depth from Elevation 3500 at Cougar Creek, rising thru the four claims South 52° East to Elevation around 6000, or a depth of probably 2500 ft. with no information as to depth below Cougar Creek bed.

Again, this same vein or a close relative strike off to the northwest on the same bearing of North 52° West over Goat Mountain to Sunday Lake and can be traced for two and one-half miles; where it crosses Goat Mountain about one mile northwest, it outcrops considerably higher than the apex of the Consolidated Molybdenum property.

This leads to the conclusion that here lies a tremendous body of ore.

IMPORTANCE OF MOLYBDENUM

The reasonable assurance of an ample deposit of ore brings up the question of - what gives this ore its importance? What is it used for? What is its value?

Molybdenite is composed of two elements, 60% molybdenum and 40% sulphur, and is also known as Molybdenum Sulphide. It is a soft, shiny, grey or black mineral usually in flakes or plates. Its hardness is 1, and specific gravity 4.8. A cubic foot will weigh up to 300 pounds.

Molybdenite is used as a lubricant; in its place, superior to

graphite, which it somewhat resembles. It is especially valuable around high-speed machinery and the moving parts of delicate instruments, as a lubricant. Refined, that is, Molybdenite with constituent parts separated-smelted, leaves the metal, Molybdenum. Molybdenum is used in steel alloys for high-speed tools, and steel and iron castings. It is found in the United States in Maine, New Hampshire, Washington, Colorado and New Mexico.

Its value exists both before and after smelting. Refining and concentrating is rather ticklish because of its specific gravity coming close to the copper pyrites which may be present in small quantities in the Pegmatite along its joints with the Host Rock. This examination has disclosed no pyrites but some is almost inevitable; however, the metal is recovered and the process is not an involved one as witness the present production.

The demand since World War II has greatly increased on account of new uses and wider distribution of consumption; the price is by the pound, at present about 46¢ a pound for the Molybdenite at the mine.

ASSAYS

Such data as to assays is, at this time, scant. The few samples reported upon show 1½% - 4% - 5% and one sample which returned 10%. This, roughly, gives 100 pounds per ton, or, say, $45.00 per ton. From all indications this does not seem unreasonable.

DEVELOPMENT

The matter of development on the Consolidated Molybdenum Inc. property is one that should be give utmost care. Access to the property at this time is over trails and roads, and by late 1949 every indication is that motor traffic will be available to within 3/4 of a mile from the present cabin.

The existing tunnel on the property appears to be in a well selected location. In this respect, it is not as criticism but as a suggestion, that a tunnel lower down toward Cougar Creek might be to a better advantage, as some 400 or 500 feet of elevation might better be utilized. The operating plan would control this matter. The mine looks as though it could be developed by working several levels.

The slope down to the bottom of the hill is straight and anywhere on a convenient spot, the mill should be placed; this is a control factor.

It seems, from present information, that ore might be transferred over aerial tram from the upper reaches to a mill close down by the road where it could be loaded onto trucks for shipping. The mill to concentrate and store for shipping.

There is good possibility of ample water power both in Cougar Creek and on Lennox River. Would suggest that this be with low head turbine. Machinery is more expensive but requires less construction - has a tendency towards getting everything "close-in".

Owing to the distance out, it would appear that camp buildings will be necessary; a cook house with commissary and, later, a superintendent's house with an office.

Mine timbers will be necessary, which may be cut from timber on the ground. This will probably work out cheaper if a small "portable mill" were set up at the start. Lumber and timbers could be cut from standing

timber on the property as required and around $25.00 per M. saved over market cost. It would also save unnecessary traffic over the road, which can interfere with ore shipment.

CONCLUSION

From the indications on Consolidated Molybdenum Inc. property it should be plain to anyone acquainted with the ore Molybdenite, and the rock Pegmatite, that here lies a very promising Mine Property. The potential tonnage would only be a wild, wierd guess at this time. It is certain that one vein some 5000 feet long, 15 feet wide, and average 1250 feet in depth exists and is in sight at a single glance. With two other veins not so plainly discernible but showing strong evidence of similar existence, it is too hypothetical at this time, to say anything more.

We know only partially what the bottom may be. The ore appears remarkably free from other metals than Molybdenum. The definite assurance of the road being built close to the Mine is an advantage few properties can enjoy. In short, every feature and circumstance pertaining to this property is enhancing its value.

Hypothetically estimating production for sake of further elucidation, let us assume one tunnel 5 ft. by 7 ft. the length of each string of claims. The total length of tunnel would then be

6000 ft. in the southerly string of 4 claims
4500 ft. in each of the two northerly strings, or
15000 ft. of theoretically productive ore.

then the volume of material would be

$$\frac{5 \times 7 \times 15000}{15 \text{ cu. ft. per ton}} \text{ OR } 35000 \text{ tons}$$

Average value of 35000 tons @ 5% or 100 lbs. Molybdenite per ton of ore would yield 3,500,000 lbs. of Molybdenite.

Such a vast quantity, even in theory, is staggering and should not, of course, be used in any reasonable estimates. But again, we have only considered depth at 7 ft. and there is likely to be 1200 or 1500 feet of depth, plus what may lie below the level of Cougar Creek Floor. Ore should be expected to such depth as Pegmatite may extend, and mined to such a horizon as the rock will stand, and Pegmatite extends to very great depth.

It should be remembered also, that Uraninite, found only in Pegmatites, is not an impossibility. No one knows for sure that this ore does not exist here on this property, and finding none would be no loss. No investigation has been made as far as we know. The basic conditions for Uranium, Thorium, and other rare metals exist in this Pegmatite, and is worth the test. The quantity of Molybdenite would soon pay the cost of such an investigation.

Then too, as characteristic in Pegmatite, there are quantities of clear quartz crystals in the rock around these dykes, Some observed, measured 3 inches long by 1 inch across. These, when clear, are valuable in lens making, and in radio and other industrial uses.

Accessibility and extent of the deposit make this property a very valuable one.

R. H. M. Sprague

STATUTORY STATEMENT - CONSOLIDATED MOLYBDENUM INC.

Filed with Director of Licenses of State of Washington.

EXHIBIT 1. Incorporated in State of Washington, May 25, 1948.

EXHIBIT 2. Address of registered business office in State of Washington: 14521 Aurora Avenue, Seattle 33, Washington.

EXHIBIT 3. List of officers, all of whom are directors, holding office for term of one year, and amount of stock held:

G.L.Hansen, vice president, 614 Yale Avenue N., Seattle, Wash. 127,500 shares held
L.J.Madden, ~~vice-president~~ director, Rt.3 Box 415, Bremerton, Wash. 127,500 shares held
K.O.Welling, secretary, 14521 Aurora Ave., Seattle, Wash. 127,500 shares held
E.A.Amburn, treasurer, 1814 25th S., Seattle, Wash. 127,500 shares held
C.L.Johnston, director, 245 S.Montgomery St., Bremerton, Wn. 127,500 shares held
E. Saurers, director, Rt.3, Box 415-B, Bremerton, Wash. 127,500 shares held
J. Madden, director, Rt. 3, Box 415, Bremerton, Wash. 127,500 shares held
G.M.Osterberg, ~~director~~ president, 756 Stimson Bldg, Seattle, Wash. 127,500 shares held
V. Osterberg, ~~director~~, 19345 37th Ave.N.E., Seattle, Wn. 127,500 shares held
Mrs. L.Liptrap, director, 403 Bay Bldg., Seattle, Wash. 127,500 shares held
J. Zybura, director, 4409 - 36th So., Seattle, Wash. 127,500 shares held
Mrs.E.L.Watson, director, 756 Stimson Bldg., Seattle, Wn. 127,500 shares held

EXHIBIT 4. Number of shares of common stock authorized, all nonassessable, 3,000,000 shares, par value 10¢ each. Preferred stock, None.

EXHIBIT 5. Consolidated Molybdenum, Inc., issued 127,000 shares to each of twelve incorporators. 1,530,000 shares are placed in escrow with Frederick W. Post, 6251 - 31st N.E., Seattle, Washington, under agreement with Department of Licenses.

EXHIBIT 6. Consideration received by company from shares issued and outstanding July 1, 1948, is: On 1,530,000 shares, $153,000 value placed on lease and organizing.

EXHIBIT 7. Statement of Assets and Liabilities as of July 1, 1948.

ASSETS		LIABILITIES	
Lease on property.....	$127,500.00	Common Stock issued.....	$153,000.00
Deferred charges, prepaid expenses.....	25,500.00		
TOTAL.....	$153,000.00	TOTAL.....	$153,000.00

EXHIBIT 8. Number of shares or other securities to be issued to public in present offering:

	No. Shares	Offering Price
Common Stock.....	1,470,000	10¢
Preferred Stock.....	None	None
Approximate amount expected to be derived from sale..		$147,000.00
Approximate amount of commissions to be paid.....		36,750.00
Approximate amount of exploration work, development work, and equipment to be purchased.....		110,000.00

EXHIBIT 9. Rate of commissions to be paid and form of payment. (In money or company's securities).

1. Agents..... 25% in money
2. Member of corporation as selling agent,.. 25% in money
3. Underwriters..... None

Amount of salaries to be paid for ensuing year:
No salaries are to be paid to the president or vice president or secretary or treasurer or general manager or others.

EXHIBIT 10. Names and addresses of authorized Agents or underwriters at time of filing:

G. M. Osterberg, 756 Stimson Bldg., Seattle, Washington
Vernon Osterberg, 19345 - 37th Avenue, N.E., Seattle, Washington
Mrs. E. L. Watson, 756 Stimson Bldg., Seattle, Washington
Mrs. Lillian Liptrap, 403 Bay Bldg., Seattle, Washington
John Zybura, 4409 - 36th South, Seattle, Washington
Garry L. Hansen, 614 Yale Avenue North, Seattle, Washington
Leonard J. Madden, Rt. 3, Box 415, Bremerton, Washington
Jack Madden, Rt. 3, Box 415, Bremerton, Washington
E. A. Amburn, 1814 - 25th South, Seattle, Washington
Kenneth O. Welling, 14521 Aurora Avenue, Seattle 33, Washington
Edwin Saurers, Rt. 3, Box 415-B, Bremerton, Washington
Carl L. Johnston, 245 S. Montgomery Street, Bremerton, Washington

EXHIBIT 11. (a) Describe fully history of company. (b) Describe claims and give their approximate location, and type of mining to be engaged in. (c) Give valuation of claims. (d) Proposed work. (e) Type of machinery and equipment to be purchased. (f) Briefly outline purpose for which funds are to be used.

Consolidated Molybdenum, Inc. was organized in May, 1948. It does not succeed any other form of mining company; it is a completely new company. The claims are located in the Buena Vista Mining district, which district is approximately 25 miles North and East of North Bend, Washington. The company has a 99 year lease on 8 claims (approximately 160 acres) lying in Section 27, Township 25 North, Range 10 East, W. M., King County, Washington. No royalties or other cash payments are payable under the lease. Ten of the incorporators own the claims and have exchanged a leasehold interest in the claims for stock in the company.

The value of the claims with improvements is $127,500.00. Some tunnel work has been done. At the point of access to the ore bearing vein, a swift mountain stream called "Devil's Canyon" cuts through the vein. A tunnel has been driven into the side of the canyon, to curve around to the vein and escape the water. Further development work proposed by the company includes driving the tunnel into the ore bearing vein; construction of housing facilities for workers, erection of mill and flotation plant, and the installation of a tram from mine to mill, together with the necessary grading.

The machinery needed and proposed to be purchased includes; Diesel power plant, 50-ton mill, flotation plant, air compressors and drills, tramway equipment and hoist, bulldozer, together with the necessary accessories and tackle for such equipment.

The purpose for which the funds will be used will be to provide access roads to the public roads, grade and level the land upon the mining claims, erect such buildings as are necessary to house men and equipment, purchase mining, milling and flotation equipment, and to develop the tunnels and shafts to the point of production; thereafter, to provide capital for the maintenance of payrolls, payment of taxes, and purchase of supplies.

There is no present authorization in the organizational plan of the company for the payment of salaries to the officers as such, and no such action is contemplated until production problems necessitate sufficient amounts of their time that salaries are deemed necessary by the board of directors in order to secure the type of administration needed to carry on the work.

Dated May 25, 1948.

(Corporate Seal)

CONSOLIDATED MOLYBDENUM, INC.

Garry L Hansen

By G.L.Hansen, President.

Attest: K.O.Welling, Secretary

FREDERICK A. McMILLIN
Economic Geologist
Tacoma, Washington

OFFICE
305 Howarth Hall
College of Puget Sound
Pr. 3521

RESIDENCE
3101 North 31st Street
Pr. 1715

On October 7 to 9, 1949, an attempt was made to examine the holdings of the Consolidated Molybdenum, Inc., property located in sec. 26 and 27, R10E, T 25 N, W.M. Conditions of weather made a complete examination impossible. Determination of the nature and character of the veins was possible and this section of the report will deal with this phase.

The location of the vein is in Devil's Canyon. Erosion has removed, within recent times, some 200 feet of vein material from the canyon.

The wall rock of Devil's Canyon is pre-Cascadian Granite (Hornblend Biotite Granite). The sequence of events that produced Devil's Canyon are: (1) Normal fault in which the west block has dropped, thus giving a vertical displacement of the two sides. This component was not accessible within the time spent on the property. (2) Into this fault was intruded a fissure vein of quartz. The vein material is glassy and well frozen on the wall of the respective blocks. (3) At some later time a dilation dike of Cascadian granodirite was introduced. This dike opened the old fissure forcing the respective wall apart to the extent of three to ten feet. (4) The next movement is not clear in relation to the time element, but a sufficient time later the dike had crystalized. This was a lateral movement, again involving the foot block that moved to the south. Either simultaneous with this movement or at some time later, quartz carrying sulfides invaded the dike. This invasion filled the fractures and replaced some of the original quartz and rock minerals. Mineralization is in all three components of the zone. The characteristic mineral is molybdenite with lesser amounts of other sulfides. This type of deposition is known as "desiminated replacement" and is one of the known types of molybdenum deposits.

Molybdenite tends to deposit in definite zones, but just what part of the zone of deposition is represented by the area that is intersected by the tunnel is not clear; however, it is my impression from what I observed that the location of the tunnel is about midway in the zone of molybdenite deposition. At a higher elevation represented by advancing up the canyon, the other sulfides seem to run stronger. At some distance down the canyon, there are tear faults that have a good showing of molybdenite. These facts would seem to establish the above hypotheses.

There were no samples taken at this time for assay. Samples should be carefully cut from wall to wall and of uniform depth and assayed. Until this is done very little can be said as to whether the Devil's Canyon is a mine or not. Just by visual inspection, it would appear that there is enough strength to the deposit to warrant a complete sampling and detailed examination.

After sampling and assaying has established the tenure of the ore, then a mining engineer could lay out a mining system for the adequate development of the property. The topography is such that the location of tunnels and the [illegible] appurtenant works would not present a problem.

On August 19, 1950 the property of the Consolidated Molybdenum Incorporated was visited by the author with the purpose of completing the examination that was started last October and abandoned because of adverse weather conditions. The canyon was explored except the extreme upper end. Heavy rains made the entrance of the canyon at this point impossible.

In the preliminary report the rock conditions were discussed in detail and the type of veins were studied. Here the author will only augment that report and make some changes in the sequence of events that lead to the deposition of molybdenite as the characteristic sulfide mineral.

The Consolidated Molybdenum Incorporated properties are in Section 26, 27; R.10 E.; T.25 N.; W.M.

The past history of the property is not recorded in the literature and is unknown to the author. However, in "Mining in the Northwest" edited by L. K. Hodges in 1897 there is a statement that as early as 1892 prospectors had crossed the divide from the Skykomish - Miller riverside into the watershed of the Snoqualmie river. However there is no mention of Molybdenite made at this time.

Metallic Molybdenum was isolated in 1782 but no large scale production was made until 1913 and real important production began in 1927. Practically all molybdenum produced is utilized in the making of alloys of iron and steel. Molybdenum acts like tungsten but more so. It requires approximately 50% less molybdenum to obtain a similar quality of alloy. Molybdenum is at the present the most important hardening alloying metal. Strength, ductility, and a tendency to resist crystallization in iron and steel are increased by the use of molybdenum. Molybdenum alloyed steels are extensively used where strength, heat resistance, and resistance to crystallization are required as in aircraft parts, automobiles, shafts,

high speed tools, gears, guns, and armor plate. These uses make molybdenum a critical metal in peace as well as war.

Geology: The walls of Devil's Canyon are pre-Cascadian or early Cascadian granite (hornblend biotite granite). The sequence of events that produced Devil's Canyon are:

(1) Normal faulting in which the west block had both a strike and dip component. This resulted in both vertical and horizontal displacement. Erosion has obscured the amount of this movement and as it has no direct relation to the events that produced the mineralization very little time was spent on this consideration.

(2) Into this fault was intruded a dilation dyke of granodiorite. This granodiorite is of the so called Cascadian granodiorite type.

(3) A second series of movements took place that shattered the granodiorite dike but apparently did not extend into the wall rock.

(4) Into these secondary fractures were intruded quarts in small amounts. Well formed crystals were present in places.

(5) Movement was again active. This third movement extended into the canyon wall producing tear faults in the downthrow block, West block, or foot wall.

(6) At sometime later, probably at or near the last stages of Cascadian intrusive action, veins of moderate high temperature quarts invaded all fractures. These solutions and vapors carrying quartz and molybdenite were under sufficient pressure to invade the granodiorite, depositing fine grained molybdenite in the spaces between the crystals of the rock. In some places rosettes of molybdenite occures in the granodiorite.

The Quartz carrying molybdenite is in the main glassy with the molybdenite occurring within the quartz as well as at the contact of the veins with the wall rock. These quartz veins make up approximately 25% of the mineralized area.

Devil's Canyon is a narrow slot left by the erosion of the quarts bearing granodiorite dike. The walls are precipitous and the grade of the canyon is roughly 22 degrees. This, however, is interrupted by several abrupt cliffs in the floor of the canyon and becomes a torrent even with a small amount of rain. Much of the canyon floor is covered with detritus that obscures mineralization.

Deer Gulch is the main tear fault that cuts the foot wall block. This fault has the same history as the main Devil's Canyon fault and contains the same type of mineralization. The vein in Deer Gulch may be the vein that is cut by the tunnel in Devil's Canyon, but more probably it is a tear fault vein of simultaneous origin. However there is evidence that there is a second dike east of Devil's Canyon. This was not investigated but should be.

The mineralized zone varies in width from two feet to ten feet. The pinching and swelling follows the original fault walls and is characteristic.

As elevation in the canyon is gained by advancing up the canyon, other sulfide minerals appear. This is the normal history of veins of this type. The description of the mineralized area was difficult because of the erosion. One rarely sees the entire width of the mineralized dike and the quartz veins that accompany it at a single exposure. The dike rock has had some alteration as the result of the intrusion of the quartz bearing hot solutions. This has made the deposition of the molybdenite possible by opening minute channels between the crystals that were disturbed by the fault movement. In the granodiorite that has been exposed by the erosion and acted upon by the air plus some acide waters, some of the molybdenite has been altered to molybdite, Mo_2O_3 or molybdenum ochre. This gives the rock some of the characteristic yellow appearance. This should not be confused with the yellowish color of the iron stains of limonite.

The quartz veins range in width from almost undiscernible veinlets to veins six inches wide. Associated with the quartz vein matter is a small amount of serisite probably derived from the alteration of the feldspars. The dissemination of molybdenite in both the granodiorite and the quartz veins is not uniform in

concentration but leans and strengthens from area to area. Where the vein is broadest the mineralization may be reduced per unit area, but the amount of mineral present will be approximately the same. Where two quartz veins or late faults intersect there is a tendency towards enrichment. The overall is a strong showing of molybdenum with ample tops to make an operation advisable.

Before much capital is invested for other purposes there should be a drilling program planned and the results of such a program carefully studied. This will tell just how much ore there is present and how it is concentrated. As the property now stands it is a raw prospect and there is no ore that can be estimated or described farther than to say that there is, on the basis of surface showings, a sizable tonnage of theoretical ore.

As molybdenite tends to deposit in a definite zone under rather a narrow thermal range, it would appear that the location of the present tunnel is in the upper part of the lower half of the mineralized zone. A new location should be sought at a lower level and a mining engineer employed to lay out the mining methods. Such a location could be found about two hundred feet below the present tunnel level.

After careful examination of the property it is my recommendation that the Board of Directors draw up a plan that will give a comprehensive and logical approach to the problem. This should be in writing for future reference. Discoveries should be made on the other two claims and trails blazed to said discoveries so that they may be readily accessible for examination.

A new cabin and such other buildings as are appertenant should be planned for early spring and so located that the danger of snow slides would be avoided. The present cabin is untenantable.

At the places where ropes are now used, trails should be cut around in the cliff so the canyon can be seen as a whole without endangering life and limb.

Hand samples are inadequate so large samples should be taken from several cuts and keep separate. These can be cut with powder and sent to some established firm that is equipped to make a concentration test on the ore. Samples should be in the neighborhood of 500 pounds each.

It is my belief that such a method of sampling would show enough strength to the ore body to warrant development in the immediate future.

/s/ F. A. McMillin

F. A. McMILLIN
Economic Geologist

CONSOLIDATED MOLYBDENUM, INC.

BALANCE SHEET
December 31, 1950

ASSETS

Current Assets:		
Cash	$ 219.31	
Accounts Receivable	600.00	
Total Current Assets		$ 819.31
Fixed Assets:		
Deferred Development	$ 2,227.54	
Office Furniture and Fixtures	15.75	
Land	153,000.00	
Total Fixed Assets		155,243.29
Total Assets		$156,062.60

LIABILITIES

Current Liabilities:		
Pledges Received	$ 300.00	
Pledged Contracts	600.00	
Total		$ 900.00
Capital:		
Capital Stock, Authorized	$300,000.00	
Less - Capital Stock, Unissued	145,600.00	
Capital Stock Issued		154,400.00
Paid-in Surplus		762.60
Total Liabilities and Capital		$156,062.60