

## Reports and information on assessment methodology available as of November 2, 2011

### 3 part assessment

Drew, L.J., and Singer, D.A., 2005, Identifying the appropriate porphyry-copper-deposit grade-tonnage model for a large-scale mineral resource assessment in South East Asia, in Cheng, Qiuming and Bonham-Carter, Graeme, eds., Proceedings of IAMG – The annual conference of the International Association for Mathematical Geology: Geomatics Research Laboratory, York University, Toronto, Canada, p. 1034-1039.

Schuenemeyer, J.H., Zientek, M.L., and Box, S.E., 2011, Global mineral resource assessment – Aggregation of estimated numbers of undiscovered deposits – an R-script with an example from the Chu Sarysu Basin, Kazakhtan: U.S. Geological Survey Scientific Investigations Report 2010-5090-B, 13 p., accessed October 10, 2011, at <http://pubs.usgs.gov/sir/2010/5090/b/>.

Singer, D.A., 1993, Basic concepts in three-part quantitative assessments of undiscovered mineral resources: *Nonrenewable Resources*, v. 2, no. 2, p. 69-81.

Singer, D.A., 2007, Estimating amounts of undiscovered mineral resources, in Briskey, J.A., and Schulz, K.J., eds., Proceedings for a workshop on deposit modeling, mineral resource assessment, and their role in sustainable development: U.S. Geological Survey Circular 1294, 8 p. available at <http://pubs.usgs.gov/circ/2007/1294/>.

Singer, D.A., and Berger, V.I., 2007, Deposit models and their application in mineral resource assessments, in Briskey, J.A., and Schulz, K.J., eds., Proceedings for a workshop on deposit modeling, mineral resource assessment, and their role in

sustainable development: U.S. Geological Survey Circular 1294, 8 p. available at <http://pubs.usgs.gov/circ/2007/1294/>.

Singer, D.A., and Menzie, W.D., 2005, Statistical guides to estimating the number of undiscovered mineral deposits: an example with porphyry copper deposits, in Cheng, Qiuming and Bonham-Carter, Graeme, eds., Proceedings of IAMG – The annual conference of the International Association for Mathematical Geology: Geomatics Research Laboratory, York University, Toronto, Canada, p. 1028–1033.

Singer, D.A., and Menzie, W.D., 2010, Quantitative mineral resource assessments: New York, Oxford University Press, 219 p.

### **Deposit models for GMRAP**

Cox, D.P., Lindsey, D.A., Singer, D.A., and Diggles, M.F., 2003 [revised 2007], Sediment-hosted copper deposits of the world – Deposit models and database: U.S. Geological Survey Open-File Report 2003-107 v. 1.1, 50 p., accessed October 31, 2011, at <http://pubs.usgs.gov/of/2003/of03-107/>.

Orris, G.J., 1992, Preliminary grade and tonnage model of potash-bearing bedded salt, in Orris, G.J., and Bliss, J.D., eds., 1992, Industrial mineral deposit models – Grade and tonnage models: U.S. Geological Survey Open-File Report 92-437, p. 50-52.

Singer, D.A., Berger, V.I., and Moring, B.C., 2002, Porphyry copper deposits of the world – Database, maps, and preliminary analysis; U.S. Geological Survey Open-file Report 02-268, 61 p., accessed October 31, 2011, at <http://geopubs.wr.usgs.gov/open-file/of02-268/>.

Singer, D.A., Berger, V.I., and Moring, B.C., 2005, Porphyry copper deposits of the world – Database, map, and grade and tonnage models; U.S. Geological Survey Open-

file Report 2005-1060, 9 p., accessed October 31, 2011, at

<http://pubs.usgs.gov/of/2005/1060/>.

Singer, Donald A., Berger, V.I., and Moring, B.C., 2008, Porphyry copper deposits of the world – Database and grade and tonnage models: U.S. Geological Survey Open File

Report 2008-1155, 45 p. and databases, accessed October 10, 2011, at

<http://pubs.usgs.gov/of/2008/1155/>.

### **Deposit density models**

Singer, D.A., 1994, Conditional estimates of the number of podiform chromite deposits:

Nonrenewable Resources, v. 3, no.3, p. 200-204.

Singer, D.A., and Menzie, W.D., 2005, Statistical guides to estimating the number of

undiscovered mineral deposits – An example with porphyry copper deposits, in Cheng,

Qiuming, and Bonham-Carter, Graeme, eds., Proceedings of IAMG – The annual

conference of the International Association for Mathematical Geology: Geomatics

Research Laboratory, York University, Toronto, Canada, p. 1028-1033.

Singer, D.A., Berger, V.I., Menzie, W.D., and Berger, B.R., 2005, Porphyry copper

density: Economic Geology, v. 100, no. 3, p. 491-514.

Singer, D.A., Menzie, W.D., Sutphin, David, Mosier, D.L., and Bliss, J.D., 2001, Mineral

deposit density – An update, in Schulz, K.J., ed., Contributions to global mineral

resource assessment research: U.S. Geological Survey Professional Paper 1640–A, p.

A1-A13.

### **Economic filters and models**

- Camm, T.W., 1991, Simplified cost models for prefeasibility mineral evaluations: US Bureau of Mines Information Circular 9298, 35 p., accessed October 31, 2011, at <http://pubs.usgs.gov/usbmic/ic-9298/html/camm5sfo.htm>.
- Duval, J.S., 2003, Economic filters applied to quantitative mineral resource simulations: Natural Resources Research v. 12, no. 2. p. 121-126.
- Gunther, T.M., 1992, Quantitative assessment of future development of copper/silver resources in the Kootenai National Forest, Idaho/Montana – Part II – Economic and policy analysis: Natural Resources Research, v. 1, no. 4, p. 267-280.
- Long, K.R., and Singer, D.A., 2001, A simplified economic filter for open-pit mining and heap-leach recovery of copper in the United States; U.S. Geological Survey Open-file Report 01-218, 21 p., accessed October 31, 2011, at <http://geopubs.wr.usgs.gov/open-file/of01-218/>.
- Singer, D.A., Menzie, W.D., and Long, K.R., 1998, A simplified economic filter for open-pit gold-silver mining in the United States: U. S. Geological Survey Open-File Report 98-207, 10 p., accessed October 31, 2011, at <http://geopubs.wr.usgs.gov/open-file/of98-207/>.
- Singer, D.A., Menzie, W.D., and Long, K.R., 2000, A simplified economic filter for underground mining of massive sulfide deposits; U. S. Geological Survey Open-File Report 00-349, 20 p.
- U.S. Bureau of Mines, 1987a, Bureau of Mines Cost Estimating System Handbook (in two parts), 1. Surface and Underground Mining: U.S. Bureau of Mines Information Circular 9142, 631 p.

U.S. Bureau of Mines, 1987b, Bureau of Mines Cost Estimating System Handbook (in two parts), 2. Mineral processing: U.S. Bureau of Mines Information Circular 9143, 565 p.

U.S. Bureau of Mines, 1989, Appendix A – Potential supply analysis methodology, in U.S. Bureau of Mines, The potential supply of minerals from the White Mountains National Recreation Area and the Steese National Conservation Area in Alaska: U.S. Bureau of Mines Open File Report 12-89, Washington, D.C., p. A-1 to A-17.

U.S. Bureau of Mines, 1989, Appendix D – Description of the potential supply analysis computer model, in U.S. Bureau of Mines, The potential supply of minerals from the White Mountains National Recreation Area and the Steese National Conservation Area in Alaska: U.S. Bureau of Mines Open File Report 12-89, Washington, D.C., p. D-1 to D-21.

### **Monte Carlo simulation**

Duval, J.S., 2000, A Microsoft Windows version of the MARK3 Monte Carlo Resource Simulator: U.S. Geological Survey Open-File Report 00-415, accessed October 31, 2011, at <http://pubs.usgs.gov/of/2000/of00-415/>.

Duval, J.S., 2004, Version 2.0 of EMINERS - Economic Mineral Resource Simulator: U.S. Geological Survey Open-File Report 2004-1344 [This report is temporarily unavailable. March 3, 2006].

Root, D.H., Menzie, W.D., and Scott, W.A., 1991, Computer Monte Carlo simulation in quantitative resource estimation: Natural Resources Research, v. 1, no. 2, p. 125-138.

Root, D.H., Scott, Jr., W.A., and Schruben, Paul, 1998, MARK3B mineral assessment program for Macintosh: U.S. Geological Survey Open-File Report 98-358, 24 p. and computer diskette.

### **Other papers**

Singer, D.A., 1995, World class base and precious metal deposits – A quantitative analysis: *Economic Geology*, v. 90, no.1, p. 88-104.

Singer, D.A., and Kouda, Ryoichi, 1999, Examining risk in mineral exploration: *Natural Resources Research*, v. 8, no. 2, p. 111-122.