



2011 Minerals Yearbook

NIOBIUM AND TANTALUM [ADVANCE RELEASE]

NIObIUM (COlUMBIUM) AND TANTALUM

By John F. Papp

Domestic survey data and tables were prepared by Robin C. Kaiser, statistical assistant, and the world production table was prepared by Lisa D. Miller, international data coordinator.

In 2011, U.S. niobium apparent consumption (measured in contained niobium) was 9,160 metric tons (t), 12% more than that of 2010; U.S. tantalum apparent consumption (measured in contained tantalum) was 1,210 t, 4% more than that of 2010. No domestic mine production of niobium or tantalum ore was reported.

Legislation and Government Programs

The Defense Logistics Agency, Strategic Materials (DLA) did not dispose of niobium or tantalum materials under its fiscal year 2011 Annual Materials Plan (AMP). The DLA did not sell niobium or tantalum materials in calendar year 2011. The DLA's fiscal year 2012 AMP set maximum disposal goals for niobium and tantalum materials at zero (Defense Logistics Agency, Strategic Materials, 2011).

Production

The major marketable niobium materials are ferroniobium and niobium metal, ore, and oxide. The major marketable tantalum materials are tantalum metal (unwrought and wrought alloys, metal, and powder), ore, and scrap. In 2011, neither niobium nor tantalum domestic mine production was reported. The Kougarak prospect, on the Seward Peninsula in Alaska, hosts significant tantalum resources in a lithium-fluorine granite (Hudson, 1998, p. 151–153; Navigator Exploration Corp., 2003, p. 2).

Global Advance Metals Pty. Ltd. purchased Cabot Corp.'s Supermetals business, which comprised tantalum manufacturing facilities in Pennsylvania and Japan (Cabot Corp., 2012, p. 4). Cabot retained Tantalum Mining Corp. of Canada (Cabot Corp., 2011a).

Quantum Rare Earth Developments Corp. (2012, p. 4, 85) reported niobium resources for its Elk Creek deposit in Nebraska (about 40°16' N, 96°11' W). Quantum estimated, at a cutoff grade of 0.4% niobium pentoxide (Nb_2O_5), an indicated resource of 19.3 million metric tons (Mt) at 0.67% Nb_2O_5 (129,000 t of Nb_2O_5), and an inferred resource of 83.3 Mt at 0.63% Nb_2O_5 .

Rare Earth Industries (2011) explored for tantalum at two sites in Colorado—Turret District in Chaffee County and Phantom Pegmatites in Fremont County. Turret Mines produced tantalum in 1952; beryl was produced in the Phantom area. Tantalum and niobium were described as “interesting but almost valueless materials” in 1961 (Hanley and others, 1950, p. 23–27, 41; Eckel, 1961, p. 11, 111–12, 318–19; Meeves and others, 1966, p. 7–9, 26). Texas Rare Earth Resources Corp. explored for niobium and tantalum in streambed samples around Round Top Mountain, Hudspeth County, Texas (Texas Rare Earth Resources Corp., 2011).

Consumption

Domestic data for niobium and tantalum materials were developed by the U.S. Geological Survey by means of the “Columbium (Niobium) and Tantalum,” “Consolidated Consumers,” and “Specialty Ferroalloys” surveys. For niobium and tantalum materials, there was 1 respondent to the “Columbium (Niobium) and Tantalum” canvass, about 70 respondents to “Consolidated Consumers” canvass, and 1 respondent to the “Specialty Ferroalloys” canvass. The steel industry accounted for 75% of niobium and tantalum reported consumption; the superalloy industry, 25%.

Schwela (2011) reported world niobium and tantalum consumption by material. Tantalum consumption, based on tantalum processors' shipments, was capacitor-grade tantalum powder (24%); metallurgical-grade powder, unwrought metal, scrap, and other (17%); mill products of tantalum (22%); tantalum carbide (7%); tantalum chemicals (18%); and tantalum ingot (12%). Niobium consumption, based on niobium processors' shipments, was niobium alloys (2.5%); niobium chemicals (5.2%); niobium metal (0.9%); steel-grade ferroniobium (87%); and vacuum-grade niobium (2.7%). Niobium masteralloys—ferroniobium and niobium-nickel alloy—were consumed to produce steel and superalloys. About 75% of world niobium consumption was for the production of microalloyed steel (Companhia Brasileira de Metalurgia e Mineração, undated c).

Prices

Tantalite ore annual average price per pound of contained tantalum pentoxide (Ta_2O_5) was \$124.896.

Foreign Trade

The values of foreign trade of these niobium and tantalum materials (ferroniobium and niobium chemicals, metal, ore, and oxide, and tantalum metal and ore) were \$181 million for exports (48% greater than that of 2010) and \$643 million for imports (28% greater than that of 2010). The United States exported 363 t of niobium contained in niobium materials (29% greater than that of 2010) and imported 9,520 t of niobium contained in niobium materials (12% greater than that of 2010) (table 1). The United States exported 648 t of tantalum contained in tantalum materials (48% greater than that of 2010) and imported 1,860 t of tantalum contained in tantalum materials (16% greater than that of 2010) (table 2).

World Industry Structure

Brazil and Canada were the leading producers of niobium mineral concentrates; Brazil and Mozambique were the leading producers of tantalum mineral concentrates. Tantalum-bearing tin slags, which are byproducts from tin smelting, principally from Asia, Australia, and Brazil, are another source of tantalum. The leading niobium ore and concentrate producers were Companhia Brasileira de Metalurgia e Mineração (CBMM) in Brazil and IAMGOLD Corp. (Niobec Mine) in Canada. The leading tantalum ore and concentrate producers were Metalurg Group (Mibra Mine) and Mineração Taboca S/A (Pitinga Mine) in Brazil and Noventa Ltd. (Morropino Mine) in Mozambique.

Based on a survey of its members, the Tantalum-Niobium International Study Center (TIC) reported annual niobium and tantalum raw material production (raw material production by members plus producer and trader receipts of raw materials from nonmembers) to have been [in metric tons of contained tantalum (Ta)]: 2007, 1,100 t of Ta; 2008, 1,200 t of Ta; 2009, 490 t of Ta; and 2010, 720 t of Ta; and [in metric tons of contained niobium (Nb)]: 2007, 70,000 t of Nb; 2008, 68,000 t of Nb; 2009, 41,000 t of Nb; and 2010, 58,000 t of Nb (Tantalum-Niobium International Study Center, 2012, p. 6, 10).

Niobium

Niobium is a transition metal with physical and chemical properties very similar to those of tantalum. The crustal abundance of niobium is 8 grams per ton (g/t) (0.0008%). Niobium does not occur naturally as a free metal; however, niobium occurs in a range of oxide mineral species that are economically important, including columbite (78.72% Nb₂O₅), euxenite (47.43% Nb₂O₅), lueshite (81.09% Nb₂O₅), and pyrochlore (75.12% Nb₂O₅). Niobium ore grade at deposits mined in 2011 ranged from 0.59% Nb₂O₅ in Canada to 3% Nb₂O₅ in Brazil, Congo (Kinshasa), and Russia. Niobium ore was beneficiated to concentrate containing about 54% Nb₂O₅. Nb₂O₅ was produced from the concentrate; ferroniobium or niobium metal, from the Nb₂O₅. Ferroniobium, the leading commercial niobium-containing material, was typically about 60% niobium, and was consumed in the production of HSLA steel. Other uses included the production of niobium carbide and chemicals. Brazil has been the leading niobium producer; Canada, the second-ranked producer (British Geological Survey, 2011a, p. 1, 3, 10–12).

Tantalum

Tantalum is a transition metal with physical and chemical properties very similar to those of niobium. The crustal abundance of tantalum is 0.7 g/t (0.00007%). Tantalum does not occur naturally as a free metal; however, tantalum occurs in a range of oxide mineral species that are economically important, including ixiolite (68.96% Ta₂O₅), microlite (83.53% Ta₂O₅), tantalite (86.17% Ta₂O₅), tapiolite (83.96% Ta₂O₅), and wodginite (69.58% Ta₂O₅). In 2011, tantalum ore grade at deposits mined was less than 0.05% Ta₂O₅ in Australia, Brazil, Canada, Ethiopia, and Mozambique. Tantalum ore was beneficiated to concentrate containing about 30% Ta₂O₅. Potassium tantalum fluoride (K₂TaF₇) was produced from

the concentrate; tantalum metal, from the K₂TaF₇. Tantalum metal was the leading commercial tantalum material and was consumed in the production of tantalum capacitors. Other uses included the production of tantalum chemicals and metal. Australia has been the leading tantalum producer (British Geological Survey, 2011a, p. 1, 3, 10–12).

World Review

Burt (2012, p. 13–14) reported that the ITRI Tin Supply Chain Initiative (iTSCi) was implemented in Rwanda and Katanga Province of Congo (Kinshasa) in 2011. Eleven tantalum smelters were designated conflict of free smelters. The supply chain initiative was similar to the sustainability methodology a successfully implemented framework to improve worker health and safety conditions through business contracts with leading international companies in countries that lack governance and were part of the global supply chain (Fair Labor Association, 2012).

European Union.—The European Union (EU) found niobium to be one of 14 metals necessary for implementing six low-carbon energy technologies [bioenergy, carbon capture and storage (CCS), electricity grids, nuclear, solar, and wind] in Europe between 2020 and 2030. The metals were characterized by rapid demand growth and geographical concentration of supply, in addition to being necessary for the six technologies. Moss and others (2011, p. 5, 15, 37, 95, 136–139) summarized the risk niobium supply-chain bottleneck as medium, with market factors of high likelihood of rapid demand growth and low limitation to expanding production capacity, and political factors as high concentration of supply and medium political risk. Niobium was found to be important to capture and storage of carbon and nuclear technologies. For carbon capture and storage the major use would be in pipelines; for nuclear, stainless steels, and superalloys.

Australia.—Australia reported that, as of December 31, 2010, Joint Ore Reserves Committee (JORC)-compliant proven and probable ore reserves (as stated in company annual reports and reports to the Australian Stock Exchange) were not available for niobium and were 19,000 t of Ta for tantalum, and accessible economic demonstrated resources were 134,000 t of Nb for niobium and 53,000 t of Ta for tantalum (Geoscience Australia, 2011, p. 5–6).

Global Advanced Metals (GAM) reopened the Wodgina Mine and Greenbushes Mine processing plant, which had been on care-and-maintenance status since December 2008. GAM produced tantalum ore at Wodgina Mine, which it processed along with tantalum ore from Mt. Cattlin into concentrate at Greenbushes. Wodgina's production capacity of Ta₂O₅ contained in concentrate was 640 metric tons per year (t/yr) of which one-half was committed for contracts (Global Advanced Metals, 2011).

Galaxy Resources Limited produced 464 t of tantalum concentrate grading 3.3% Ta₂O₅ at Mount Cattlin, Western Australia State, of which it shipped 234 t to GAM Greenbushes Mine processing plant. Galaxy planned to produce 25 t/yr of tantalum in concentrate. Galaxy reported proved plus probable reserves of 10.737 Mt containing 146 g/t Ta₂O₅ and resources of 17.155 Mt containing 155 g/t Ta₂O₅ to a

cutoff grade of 0.4% lithium oxide (Li₂O) as of 2011 (Galaxy Resources Limited, 2012, p. 2, 15–16).

Alkane Resources Ltd. (2012, p. 3–5) conducted a feasibility study for the production of 1,200 t/yr Nb₂O₅ and worked on a study to increase production to 3,000 t/yr Nb₂O₅. Alkane reported 35.9 Mt of proved plus probable reserves at 0.46% Nb₂O₅ and 0.03% Ta₂O₅ as of November 2011 and 73.3 Mt of measured plus inferred resources at the same grade as of December 2011 at its Dubbo Zirconia Project, Toongi deposit, New South Wales.

Altura Minerals Ltd. (2011, p. 17) (formerly Australian Tantalum Pty. Ltd.) reported tantalum at its Finnis Range (Northern Territory) and Smithfield (Western Australia) projects based on rock chip sampling.

Artemis Resources Ltd. (2011, p. 9) was granted exploration permits for an additional 93 square kilometers (km²) at Buchanan's Creek/Grant's Gully tenements south of Georgetown, Queensland. Capital Mining Ltd. (2011, p. 15–16) reported 55 Mt of inferred resources grading 80 g/t Nb₂O₅ at Narraburra prospect about 12 kilometers (km) northeast of Temora, New South Wales.

Lithex Resources Ltd. (2012) reported 1.9 Mt of inferred resources containing 20 g/t tantalum in tin mine tailings stockpiles at its Moolyella project. The project includes tailings from tin mining from 1898 to 1986.

Brazil.—The National Department of Mineral Production (DNPM) reported that CBMM and Anglo American Brazil produced niobium, and Mineração Taboca produced tantalum. Pereira (2011) reported Brazilian niobium mine production of 165,723 t of Nb₂O₅ from reserves of 4,499,106 t of Nb₂O₅ in 2009, from which Brazil produced 88,920 t of Nb₂O₅ contained in concentrate, 34,746 t of Nb contained in ferroniobium, and 2,333 t of Nb₂O₅. Pontes (2011) reported Brazilian tantalum mine production of 218 t of Ta₂O₅ contained in concentrate from reserves of 87,782 t of Ta₂O₅ in 2009.

Anglo American Brazil Ltd. (a subsidiary of Anglo American plc) mined pyrochlore from a carbonatite deposit. Catalão Mine (47°48' W, 18°08' S) is comprised of three open pit mines and a processing facility. Anglo reported that Catalão produced 3,900 t of niobium contained in ore in 2011 compared with 4,000 t in 2010. Anglo mined 867,000 t of ore and processed 903,000 t of ore with a niobium content of 8.1 kilograms per ton (kg/t).^{*} JORC-compliant proved and probable reserves in 2011 were 4.3 Mt at 1.03% Nb₂O₅ containing 31,000^{*} t of niobium and measured plus indicated resources of 2.8 Mt at 1.22% Nb₂O₅ containing 23,900^{*} Mt of niobium (Anglo American plc, 2012, p. 19, 86, 198, 204). In addition, Anglo reported measured plus indicated resources of 33.2 Mt at 1.24% Nb₂O₅ containing 288,000^{*} t of niobium at its Fresh Rock project where it planned to start production in 2013, which would bring its production capacity to 6,500 t/yr of niobium from the current 3,800 t/yr.

CBMM mined niobium ore from the Barreiro carbonatite complex (19°40' S, 46°56' W) and beneficiated the ore at the mine site by selectively extracting the pyrochlore minerals from which niobium oxide is produced. The deposit contained 440 Mt of ore reserves at an average grade of 2.5% to 3% Nb₂O₅ that could be mined by open pit methods (Riffel, undated).

CBMM produced ferroniobium, nickel-niobium, niobium metal, niobium oxide, and high-purity ferroniobium, and had production capacities of 70,000 t/yr of ferroniobium, 3,000 t/yr of high-purity ferroniobium and nickel-niobium, and 210 t/yr of niobium metal (Companhia Brasileira de Metalurgia e Mineração, undated a, b).

Companhia Industrial Fluminense Mineracao S.A. (CIF), owned by AMG Advanced Metallurgical Group N.V., produced niobium and tantalum concentrate at Volta Grande Mine (21° 05' S, 44° 35' W). CIF produced from an annual production capacity of 136 t of Ta₂O₅ contained in concentrate and planned to increase production capacity to 227 t/yr of Ta₂O₅ contained in concentrate. CIF reported NI 43–101 compliant 2008 ore reserves sufficient to support production of 136 t/yr of Ta₂O₅ for 30 years. Ore grade was 375 g/t Ta₂O₅ (Schwela, 2010, p. 2–6; AMG Advanced Metallurgical Group N.V., 2012, p. 7, 21, 25, 76; Companhia Industrial Fluminense Mineracao S.A., undated). CIF planned to increase production to 227 t/yr of concentrate in 2013 (Resende, 2011).

Mineração Taboca S.A. mined columbite at the Pitinga Mine.* Taboca produced a ferroniobiumtantalum alloy containing 45.00% niobium, 4.20% tantalum, and 25.00% iron that was sold for the production of niobium and tantalum oxide (Mineração Taboca S.A., 2012a, b).

Arqueana de Minérios e Metais Ltda. conducted small-scale artisanal mining of niobium and tantalum in the Itinga pegmatites, Minas Gerais (Kokomo Enterprises Inc., 2011).

MBAC Fertilizer Corp. acquired the Araxá Project (about 19°39' S, 46°56' W), a niobium, rare-earth oxide, and phosphate deposit in the Barreiro Cretaceous carbonatite. MBAC reported inferred minerals resource of 2.7 Mt with an average 1.41% Nb₂O₅ grade (MBAC Fertilizer Corp., 2011, p. 7–8; 2012, p. 53; undated).

Canada.—Canada reported niobium mine production of 4,532 t of contained Nb in 2011 compared with 4,419 t of contained Nb in 2010. No production of tantalum was reported for 2010 or 2011. Niobium ore was mined in Quebec (Natural Resources Canada, 2012a, b).

IAMGOLD (Toronto, Ontario) mined niobium contained in pyrochlore from the Saint-Honoré carbonatite deposit at the Niobec Mine (about 48°32' N, 71°09' W). Niobec mill production capacity was 4,500 t/yr of niobium. The mill produced concentrate from which Niobec produced Nb₂O₅ that was then converted to standard grade (66% niobium) ferroniobium by an aluminothermic reduction. In 2011, the Niobec Mine produced 4,632 t of niobium compared with 4,343 t of niobium in 2010 (IAMGOLD Corp., 2012, p. 26).

Tantalum Mining Corp. of Canada (Lac Du Bonnet, Manitoba) (Tanco) restarted tantalum production in May citing rising global demand for tantalum. Tanco suspended production in 2009 following the world financial crisis (Cabot Corp., 2011b).

Avalon Rare Metals Inc. (Toronto, Ontario) prospected for niobium and tantalum at its Thor Lake property (about 62°06'30" N, 112°35'30" W). Avalon updated a prefeasibility study and planned to complete a bankable feasibility study in 2012. The company reported probable reserves at the Nechalacho deposit at Thor Lake of 14.54 Mt at 3,800 g/t

^{*}Corrections posted March 5, 2013.

Nb₂O₅ (0.38%) and 404 g/t Ta₂O₅ (0.0404%). Avalon planned to produce 1,700 t/yr of Nb₂O₅ and 100 t/yr of Ta₂O₅ (Cox and others, 2011, p. 4–1, 15–1—15–7, 16–4; Avalon Rare Metals Inc., 2012, p. 2, 9).

Commerce Resources Corp. (Vancouver, British Columbia) prospected for niobium and (or) tantalum at the Blue River (east of Quesnel, British Columbia), Eldor (south of Kuujuaq, Quebec), and Carbo (northeast of Prince George, British Columbia) properties, which host carbonatite deposits. Commerce reported NI 43–101-compliant resources for the Blue River property (52°19' N, 119°10' W), comprising Fir, Upper Fir, and Verity deposits. Commerce estimated indicated resources of 36.35 Mt containing 7,090 t of Ta₂O₅ and 61,650 t of Nb₂O₅ (Commerce Resources Corp., 2012, p. 2–3).

Critical Elements Corp. (Montreal, Quebec) explored the Rose property (52°01'02"N, 76°09'34"W) in the James Bay area of Quebec. Critical Elements reported 37.2 Mt of indicated plus inferred resource at 158 g/t Ta₂O₅ (Critical Elements Corp., 2011, p. 1–3, 4–1—4–4, 14–14).

Dios Exploration Inc. (Montreal, Quebec) discovered the Shipshaw Carbonatite Complex near Chicoutimi, Quebec, in 2010. Dios continued drilling on the property to explore for niobium and tantalum (Dios Exploration Inc., 2011, p. 5–6).

Matamec Explorations Inc. (Montreal, Quebec) explored for niobium and tantalum at Zeus and Tansim properties in Quebec hosted by the Kipawa Alkalic Complex (Matamec Explorations Inc., 2012, p. 1, 14).

Geometa Resources Inc. (2011, p. 7) estimated 0.126% Nb₂O₅ contained in 183.9 Mt of indicated resources and 66.7 Mt of inferred resources at Montviel Core Zone in Quebec for the Montviel Core Zone at a cutoff grade of 1% total rare-earth oxides.

MDN Inc. (Montreal, Quebec) sought a strategic partner for its Crevier Niobium project (49°30' N, 72°49' W), which had measured plus indicated resources of 25.369 Mt containing 0.196% Nb₂O₅ and 234 g/t Ta₂O₅. MDN planned to start Crevier Mine construction in 2013, with possible production of 4,000 tons per day from an open pit mine (MDN Inc., 2012, p. 14).

Niocan Inc. (Montreal, Quebec) (2012, p. 2) explored for niobium minerals at its Oka property near Oka, Quebec. Niocan reported 10.63 Mt of measured plus indicated resources at 0.68% Nb₂O₅ as of December 2009.

PhosCan Chemical Corp. (Toronto, Ontario) (2012, p. 11) sought a process to recover niobium from ore processed for phosphate concentration from its Martison phosphate deposit near Hearst, Ontario.

Rare Earth Metals Inc. (Thunder Bay, Ontario) reported an 8.5 Mt inferred resource with 0.13% Nb₂O₅ at a cutoff grade of 0.6% total rare-earth oxides for the Clay-Howells deposit near Kapuskasing, Ontario, and a 41 Mt inferred resource at 0.26% Nb₂O₅ to a cutoff grade of 0.60% total rare-earth oxides for Two Tom deposit near Letitia Lake, Newfoundland and Labrador (Rare Earth Metals Inc., 2011, p. 2, 64, 66; Daigle, 2012, p. 73).

Quest Rare Minerals Ltd. (Montreal, Quebec) found niobium minerals, among other minerals, at its Misery Lake and Strange Lake rare-earth projects on the Quebec-Labrador border. Quest reported NI 43–101 compliant inferred resources of 114.8

Mt grading 0.208% Nb₂O₅ at Strange Lake and conducted prefeasibility study work. Quest also explored for Nb₂O₅ at Misery Lake (Quest Rare Minerals Ltd., 2012, p. 10, 17).

Taseko Mines Ltd. (Vancouver, British Columbia) explored for niobium minerals at its Aley prospect in northern British Columbia. Taseko started the construction of road access to the site (Taseko Mines Ltd., 2012, p. 3).

TNR Gold Corp. (Vancouver, British Columbia) explored the Great Slave Lake property in Northwest Territories (Moose project) for niobium and tantalum. Tantalum was mined at the property in 1947 and 1953–54. TNR also explored for niobium near Thunder Bay, Ontario (Big Beaverhouse property) (TNR Gold Corp., undated).

Estonia.—AS Silmet (Sillamäe) produced niobium and tantalum products from raw materials imported from Brazil (niobium-tantalum alloy) and Russia (niobium-tantalum ore) (Kerr, 2010). Molycorp Inc. (United States) acquired Silmet to become Molycorp Silmet.

Egypt.—Tantalum Egypt JSC [Gippsland Ltd. (Claremont, Australia) and the Government of Egypt] planned to mine tantalite from the Abu Dabbab (about 25°20'11" N, 34°32'34" E) and Nuweibi (25°12'3.09" N, 34°29'56.15" E) deposits, starting with Abu Dabbab in 2013 at the rate of 400 t/yr Ta₂O₅ content. Gippsland reported Abu Dabbab proven plus probable reserves were 33.18 Mt at 0.0252% Ta₂O₅. At Nuweibi, indicated plus inferred resources were 98 Mt at 140 g/t Ta₂O₅. H.C. Stark Group GmbH (Goslar, Germany) committed to buy 300 t/yr of contained Ta₂O₅ for the first 10 years (Gippsland Ltd., 2012, p. 8–11, 17).

Ethiopia.—The Ethiopian Mineral Development Share Company (EMDSC) (Addis Ababa) (undated) owned and managed the Kenticha Tantalum Mine (5°27'13.63" N, 39°1'2.51" E), and produced and exported tantalum concentrate from a capacity of 200 t/yr grading 45% to 60% Ta₂O₅. EMDSC estimated proved reserves of 16.4 Mt at 0.015% Ta₂O₅ and inferred reserves of 100 Mt at 0.017% Ta₂O₅.

Finland.—Tertiary Minerals plc (Macclesfield, United Kingdom) awaited an exploration license for the Rosendal tantalum prospect (Kemiö Island), which had 1.05 Mt of inferred mineral resource grading 255 g/t Ta₂O₅ (0.0255%) (Tertiary Minerals plc, 2011, p. 10).

Gabon.—Eramet S.A. (Paris, France) (2012, p. 5) planned to produce niobium and tantalum at its Mabounie project starting between 2018 and 2020, following the operation of a commercial scale demonstration plant in 2014.

Kenya.—Pacific Wildcat Resources Corp. (Vancouver, British Columbia, Canada) explored for niobium at Mrima Hill (about 4°21' S, 39°11' E), where it reported a niobium inferred resource of 105.3 Mt at 0.65% Nb₂O₅ (Pacific Wildcat Resources Corp., 2011a; c, p. 14, 18). Cortec Mining Kenya Ltd. (Nairobi) also explored for niobium in the Mrima Hill area (Cortec Mining Kenya Ltd., 2011).

Malawi.—Globe Metals & Mining Limited (West Perth, Australia), through its Kanyika project, planned to bring niobium mining into production in 2014 followed by ferroniobium production in 2015. Globe (2011, p. 7–9) reported measured plus indicated plus inferred resources for the Kanyika Niobium project (about 12°38' S, 33°38' E) of 60 Mt containing

174,000 t of Nb₂O₅ (0.29% average grade) and 8,400 t of Ta₂O₅ (0.014% average grade). Globe planned to complete a definitive feasibility study in 2012. Mkango Resources Ltd. explored for niobium at the Songwe Hill rare-earth project in southern Malawi.

Mozambique.—Highland African Mining Company Limitada [a subsidiary of Noventa Ltd. (St. Helier, United Kingdom)], operated the Marropino Mine, held concessions for the Morrúa and Mutala deposits, and held exploration licenses for adjacent areas. Noventa reported indicated resources of 7.40 Mt at 223 g/t Ta₂O₅ (0.022% Ta₂O₅) at Marropino (16°30' 40" S, 37°54' 10" E) and 4.65 Mt at 510 g/t Ta₂O₅ (0.051% Ta₂O₅) at Morrúa (about 16°16' S, 37°52' E) (Noventa Ltd., 2011, p. 6, 9, 21). Noventa planned to upgrade its processing capacity to about 250 t/yr of contained Ta₂O₅. The company reported 2011 production of 38.4 t of contained Ta₂O₅ compared with 12.5 t in 2010.

Pacific Wildcat Resources Corp. (Vancouver, British Columbia, Canada) started tantalum ore production at the former Muiane Mine (15°44' 10" S, 38°15' 15" E). Pacific planned to produce 16 t/yr Ta₂O₅ to 34 t/yr Ta₂O₅ upon completion of its secondary processing plant at the mine site in 2012, from an indicated resource of 1.375 Mt with average grade of 250 g/t Ta₂O₅ (0.025% Ta₂O₅) to a cutoff grade of 50 g/t (Pacific Wildcat Resources Corp., 2009, p. 4; 2011b, p. 3).

Namibia.—Procomex Namibia Pty. Ltd. (Uis) planned to reopen the Uis Mine, which formerly produced tin and tantalite. Procomex planned to start tantalum ore production after construction of a new processing plant, rehabilitation of the water infrastructure, and modernization of electrical connections by NamPower, Namibia's national electrical power utility (Namibian, The, 2011).

Namibia Rare Earths Inc. (Halifax, Nova Scotia, Canada) (2012, p. 5) explored for niobium at the Lofdal carbonatite complex (20°21' S, 14°45' E) (Woolley, 2001, p. 209). Namibia Rare Earths planned to complete a resource estimate in 2012.

Norway.—EMC Metals Corp. (Vancouver, British Columbia, Canada) (2012, p. 28–29) explored for niobium and tantalum at Tørdal and Evje properties in southern Norway.

Russia.—OAO Severstal (Moscow) reported producing ferroniobium via its subsidiary OAO StalMag. StalMag was located in Krasnoyarsk Krai, where it had reserves sufficient to support production for 11 years. Ferroniobium production was reported to have been 129,000 t in 2010 compared with 296,000 t in 2009 and 146,000 t in 2008 (OAO Severstal, 2010, p. 31–32; SteelGuru, 2011).

Spain.—Solid Resources Ltd. (Vancouver, British Columbia, Canada) (2011, p. 33, 41) estimated mineral reserves for Presqueiras and Taboazas areas in the Galicia Region of Spain. Presqueiras area reserves were 0.2 Mt measured at 79.7 g/t Ta₂O₅, 79.8 g/t Nb₂O₅; 1.4 Mt indicated at 86.1 g/t Ta₂O₅, 80.2 g/t Nb₂O₅; and 4 Mt inferred at 93.0 g/t Ta₂O₅, 84.9 g/t Nb₂O₅. Taboazas area reserves were 0.2 Mt indicated at 150.8 g/t Ta₂O₅, 115.3 g/t Nb₂O₅; and 4 Mt inferred at 14.7 g/t Ta₂O₅, 109.2 g/t Nb₂O₅.

Tanzania.—Peak Resources Inc. (Perth, Australia) (2011) explored for niobium and tantalum in the Ngualla Carbonatite near Mount Ngualla (7°42' S, 32°50' E) (Woolley, 2001, p. 328).

United Kingdom.—The British Geological Survey (2011b) determined the niobium and tantalum relative supply risk index to be 8.0 and 6.0, respectively, based on those elements' abundance in the Earth's crust, the locations of production and reserves, and the political stability of those locations. The index ranged from very low risk, 1, to very high risk, 10.

Zambia.—African Consolidated Resources plc (Kent, United Kingdom) (ACR) explored its Nkombwa Hill project for niobium in Northern Province (10°10' S, 32°51' E) (Woolley, 2001, p. 355). ACR took chip samples and planned to take trench samples (African Consolidated Resources plc, 2011).

Outlook

Niobium.—The principal use for niobium (as much as 90% of global use) was as an additive in steelmaking, mostly in the manufacture of microalloyed or HSLA steels (Roskill Information Services Ltd., 2009a, p. 1–3). Niobium mainly is used in HSLA steels consumed by automobile, construction, and pipeline industries. The sharp fall in demand for automobiles and in construction that started in 2008 was expected to decrease demand for niobium-containing steel. The long-term growth of niobium use was interrupted by the economic downturn of 2008–09. Greater demand for natural gas was expected to result in increased demand for pipeline steel. Recovery of these markets was expected to revive demand for niobium. It was reported that the global unit consumption of niobium per ton of steel produced was 55 to 60 g/t, while that of highly economically developed countries was 100 g/t and that of China was 40 g/t, suggesting significant potential for niobium consumption growth as the Chinese economy develops (Roskill Information Services Ltd., 2009a, p. 124–125).

Tantalum.—Consumers heavily relied on tantalum inventories and huge quantities of highly contentious and politically sensitive, low-cost columbite-tantalite from Congo (Kinshasa) that appeared to have displaced producers in the conventional supply chain. In 2008 and 2009, an estimated near 40% of tantalum mine production was put on care-and-maintenance status, including mines in Australia, Canada, and Mozambique. Industry sought a way to exclude illegal columbite-tantalite from the supply chain. It was thought that a ban on such material by the United States and the European Union was possible. New production projects in Canada, Egypt, and Saudi Arabia offered the possibility that new mines could be brought into production between 2011 and 2013. It was anticipated that as the global economy recovered, so too would demand for tantalum (Roskill Information Services Ltd., 2009b, p. 21–23). Tantalum demand was expected to increase 6% per year and might exceed 7% in 2011 (Smith, 2011).

References Cited

- African Consolidated Resources plc, 2011, Update on Zambian portfolio & resource upgrade at Gadzema: Kent, United Kingdom, African Consolidated Resources plc, May 3, [unpaginated]. (Accessed May 21, 2012, at [http://www.acrplc.com/Investors/News/2011/Update announcement 03.05.11.pdf](http://www.acrplc.com/Investors/News/2011/Update%20announcement%2003.05.11.pdf).)
Alkane Resources Ltd., 2012, Annual report 2011: Perth, Australia, Alkane Resources Ltd., 56 p. (Accessed April 5, 2012, at http://www.alkane.com.au/reports/annual/pdf/2011_Alkane_AR_for_web.pdf.)

- Altura Minerals Ltd., 2011, 2011 annual report: Brookwater, Queensland, Australia, Altura Minerals Ltd., June 30, 80 p. (Accessed April 17, 2012, at http://alturamineral.com/files/announcements/2011/2011_10_21_-_Annual_Report_2011.pdf.)
- AMG Advanced Metallurgical Group N.V., 2012, Annual report 2011: Amsterdam, Netherlands, AMG Advanced Metallurgical Group N.V., 158 p. (Accessed April 4, 2012, at http://www.amg-nv.com/Theme/AMG/files/AMG_AR11_v33.pdf.)
- Anglo American plc, 2012, Annual report 2011: London, United Kingdom, Anglo American plc, 212 p. (Accessed April 4, 2012, at http://ar11.angloamerican.com/assets/pdf/final/AA_AR2011.pdf.)
- Artemis Resources Ltd., 2011, Annual report 2011: Sydney, Australia, Artemis Resources Ltd., September, 61 p. (Accessed April 3, 2012, at www.artemisresources.com.au/IRM/Company/ShowPage.aspx/PDFs/1337-83034951/2011AnnualReport.)
- Avalon Rare Metals Inc., 2012, Amended management discussion and analysis of financial statements for the twelve months ended August 31, 2011: Toronto, Ontario, Canada, Avalon Rare Metals Inc., August 31, 26 p. (Accessed April 5, 2012, at http://www.avalonraremetals.com/_resources/financials/MDA_110831.pdf.)
- British Geological Survey, 2011a, Niobium-tantalum: Keyworth, United Kingdom, British Geological Survey, April, 26 p. (Accessed January 26, 2012, at <http://www.bgs.ac.uk/downloads/start.cfm?id=2033>.)
- British Geological Survey, 2011b, Risk list 2011: Keyworth, United Kingdom, British Geological Survey, April, [unpaginated]. (Accessed March 27, 2012, at <http://www.bgs.ac.uk/downloads/start.cfm?id=2063>.)
- Burt, Richard, 2012, A conflict-free supply chain—An update: Tantalum-Niobium International Study Center Bulletin 149, Tantalum-Niobium International Study Center, Lasne, Belgium, 2012, 14 p.
- Cabot Corp., 2011a, Cabot to divest its Supermetals business for \$400 million: Boston, MA, August 25. (Accessed April 18, 2012, at <http://investor.cabot-corp.com/phoenix.zhtml?c=94559&p=irol-newsArticle&ID=1600292&highlight=gam>.)
- Cabot Corp., 2011b, Cabot to resume tantalum mining operation in Canada to meet growing demand: Boston, MA, May 12. (Accessed April 18, 2012, at <http://investor.cabot-corp.com/phoenix.zhtml?c=94559&p=irol-newsArticle&ID=1563382&highlight=>.)
- Cabot Corp., 2012, Annual report 2011: Boston, MA, 126 p. (Accessed April 10, 2012, at <http://phx.corporate-ir.net/External.File?item=UGFyZW50SUQ9MTI1MTQwfnENoaWxkSUQ9LTF8VHlwZT0z&t=1>.)
- Capital Mining Ltd., 2011, Annual report 2011: Phillip, Australian Capital Territory, Australia, Capital Mining Ltd., 65 p. (Accessed April 3, 2012, at http://www.capitalmining.com.au/AnnualReports/CMY_173_2011AnnualReport.pdf.)
- Commerce Resources Corp., 2012, Management discussion & analysis for the year ended October 31, 2011: Vancouver, British Columbia, Canada, Commerce Resources Corp., February 28, 13 p. (Accessed April 6, 2012, at <http://www.commerceresources.com/i/pdf/CCE-Q4-MDA-2011.pdf>.)
- Companhia Brasileira de Metalurgia e Mineração, [undated]a, Mine and operations—Production: São Paulo, Brazil, Companhia Brasileira de Metalurgia e Mineração, [unpaginated]. (Accessed May 7, 2012, via <http://www.cbmm.com.br/english/index.html>.)
- Companhia Brasileira de Metalurgia e Mineração, [undated]b, Mine and operations—Production capacity: São Paulo, Brazil, Companhia Brasileira de Metalurgia e Mineração. (Accessed May 7, 2012, via <http://www.cbmm.com.br/english/index.html>.)
- Companhia Brasileira de Metalurgia e Mineração, [undated]c, The history of niobium: São Paulo, Brazil, Companhia Brasileira de Metalurgia e Mineração. (Accessed July 1, 2010, via <http://www.cbmm.com.br/english/index.html>.)
- Companhia Industrial Fluminense Mineracao S.A., [undated], Home: Brazil, Companhia Industrial Fluminense Mineracao S.A. (Accessed April 4, 2012, at <http://www.cif.ind.br/>.)
- Cortec Mining Kenya Ltd., 2011, About: Nairobi, Kenya, Cortec Mining Kenya Ltd. (Accessed May 2, 2012, at <http://www.mrimahill.com/about-us/>.)
- Cox, J.J., Ciuculescu, Tudorel, Goode, J.R., and Hains, D.H., 2011, Technical report on the Thor Lake project, Northwest Territories, Canada: Toronto, Ontario, Canada, Roscoe Postle Associates, Inc., August 25, p. 29–6. (Accessed April 6, 2012, at http://avalonraremetals.com/_resources/reports/RPA_Avalon_Thor_Lake_NI_43-101_August_25_2011.pdf.)
- Critical Elements Corp., 2011, Technical report and preliminary economic assessment on the Rose tantalum-lithium project: Montreal, Quebec, Canada, Critical Elements Corp., December 10, 379 p. (Accessed April 12, 2012, at http://www.ceccorp.ca/documents/en/pea_final_techreport.pdf.)
- Daigle, Paul, 2012, Resource estimate and technical report for the Two Tom REE deposit of the Red Wine Complex, Labrador, Canada: Thunder Bay, Ontario, Canada, Rare Earth Metals Inc., January 20, 90 p. (Accessed May 2, 2012, at <http://www.rareearthmetals.ca/upload/documents/twotom-43-101.pdf>.)
- Defense Logistics Agency, Strategic Materials, 2011, Annual materials plan for FY 2012: Fort Belvoir, VA, Defense National Stockpile Center news release DLA-SM-11-3028, 1 p. (Accessed July 23, 2012, at https://www.dnsc.dla.mil/Uploads/NewsRelease/bberuete_10-6-2011_11-9-18_3028_FY12AMP.pdf.)
- Dios Exploration Inc., 2011, Annual management report for the year ended December 31, 2010: Montreal, Quebec, Canada, Dios Exploration Inc., March 31, 23 p. (Accessed May 1, 2012, at <http://diosexplo.com/pdfs/MDNAEN31DC2010V1.pdf>.)
- Eckel, E.B., 1961, Minerals of Colorado—A 100-year record: U.S. Geological Survey Bulletin 1114, 399 p.
- EMC Metals Corp., 2012, Form 10-K: Vancouver, British Columbia, Canada, EMC Metals Corp., February 10, 17 p. (Accessed May 3, 2012, at <http://www.emcmetals.com/i/pdf/2011-Annual-10K.pdf>.)
- Eramet S.A., 2012, 2011 results: Eramet, February 16, 12 p. (Accessed April 24, 2012, http://www.eramet.fr/us/PRODUCTION_GALLERY_CONTENT/DOCUMENTS/Communiqués_de_Presse/2012/COMMUNIQUE_gb.pdf.)
- Ethiopian Mineral Development Share Company, [undated], Profile of tantalum concentrate: Addis Ababa, Ethiopia, Ethiopian Mineral Development Share Company. (Accessed April 24, 2012, at <http://www.emdsc.org.et/GeneralManager/MainProcess/MineralProduct/Tantalum/TantalumProfile.htm>.)
- Fair Labor Association, 2012, Home: Fair Labor Association. (Accessed September 5, 2012, <http://www.fairlabor.org/>.)
- Galaxy Resources Limited, 2012, Annual report 2011: Perth, Australia, Galaxy Resources Limited, March, 103 p. (Accessed April 4, 2012, at http://www.galaxyresources.com.au/documents/gxy_ar_31_dec_2011.pdf.)
- Geometa Resources Inc., 2011, Montviel Core Zone REE mineral resource estimate technical report, Quebec: Montreal, Quebec, Canada, Geometa Resources Inc., September 11, 74 p. (Accessed April 20, 2012, at http://www.ressourcesgeomega.ca/Montviel_43-101.pdf.)
- Geoscience Australia, 2011, Australia's identified mineral resources 2011: Canberra, Australia, Geoscience Australia, 123 p. (Accessed September 5, 2012, at <https://www.ga.gov.au/servlet/BigObjFileManager?bigobjid=GA20563>.)
- Gippsland Ltd., 2012, Annual report 2011: Claremont, Australia, Gippsland Ltd., 82 p. (Accessed April 11, 2012, at http://www.gippslandltd.com/upload/docs/111027_Gippsland_AR_2011_LowRes_sml.pdf.)
- Global Advanced Metals, 2011, Wodgina mine on track to meet global tantalum demand: West Perth, Western Australia, Global Advanced Metals news release, March 11. (Accessed April 3, 2012, at <http://www.globaladvancedmetals.com/news/announcements/2011/march/wodgina-mine-on-track-to-meet-growing-global-tantalum-demand.aspx>.)
- Globe Metals & Mining Limited, 2011, 2011 annual report: West Perth, Australia, Globe Metals & Mining Limited, 92 p. (Accessed April 11, 2012, at http://www.globemetalsandmining.com.au/uploads/files/financial_reports/FINAL_Annual_Report_-_ASX_Lodgement_29_September_2011.pdf.)
- Hanley, J.B., Heinrich, E.W., and Page, L.P., 1950, Pegmatite investigations in Colorado, Wyoming, and Utah 1942–1944: U.S. Geological Survey Professional Paper 227, 125 p. (Accessed April 25, 2012, at <http://pubs.usgs.gov/pp/0227/report.pdf>.)
- Hudson, Travis, 1998, Alaska resource data file—Teller quadrangle: U.S. Geological Survey Open-File Report 98–328, 235 p. (Accessed March 9, 2010, at http://ardf.wr.usgs.gov/ardf_data/Teller.pdf.)
- IAMGOLD Corp., 2012, Annual report 2011: Toronto, Ontario, Canada, IAMGOLD Corp., 28 p. (Accessed April 6, 2012, at [http://www.iamgold.com/Theme/IAMGold/files/pdf/Annual_Report_2011_\(2\).pdf](http://www.iamgold.com/Theme/IAMGold/files/pdf/Annual_Report_2011_(2).pdf).)
- Kerr, Kevin, 2010, Dragon Metals interview series—Silmet Rare Metals tour and interview. (Accessed April 24, 2012, via <http://vimeo.com/>.)
- Kokomo Enterprises Inc., 2011, Kokomo engages the services of Wardrop to prepare NI 43–101 technical report on Arqueana's lithium/niobium/tantalum/tin mining project in Brazil: Vancouver, British Columbia, Canada, May 31, 2 p. (Accessed April 18, 2012, at http://www.kokomoenterprises.ca/news/2011/NR_KKO_31May2011_Wardrop_FINAL.pdf.)

- Lithex Resources Ltd., 2012, Maiden inferred mineral resource Moolyella project: Perth, Western Australia, Australia, March 12, 2 p. (Accessed April 18, 2012, at <http://www.asx.com.au/asxpdf/20120301/pdf/424rgh8d3hr81q.pdf>.)
- Matamec Explorations Inc., 2012, Preliminary economic assessment study for Kipawa Project: Montreal, Quebec, Canada, Matamec Explorations Inc., March 14, 162 p. (Accessed April 18, 2012, at http://www.matamec.com/vns-site/uploads/documents/Rep_Matamec-Fin-PEA-000-20120314-SEDAR-Com.pdf.)
- MBAC Fertilizer Corp., [undated], Araxa phosphate/REE/Nb project: Toronto, Ontario, Canada, [unpaginated]. (Accessed May 1, 2012, at <http://www.mbacfert.com/projects/araxa.aspx>.)
- MBAC Fertilizer Corp., 2011, 2011 annual report: Toronto, Ontario, Canada, 43 p. (Accessed May 1, 2012, at [http://www.mbacfert.com/publicfiles/financialreports/MBAC 2011 Annual Report.pdf](http://www.mbacfert.com/publicfiles/financialreports/MBAC%2011%20Annual%20Report.pdf).)
- MBAC Fertilizer Corp., 2012, Mineral resource estimate—Araxá rare earth oxide-phosphate-niobium project, Minas Gerais State, Brazil: Toronto, Ontario, Canada. (Accessed May 1, 2012, via <http://www.sedar.com/>.)
- MDN Inc., 2012, 2011 annual report: Montreal, Quebec, Canada, MDN Inc., 52 p. (Accessed April 6, 2012, at http://www.mdn-mines.com/pdf/rapports_financiers/Rapport_annuel_2011_ENG.pdf.)
- Meeves, H.C., Harrier, C.M., Salsbury, M.H., Konselman, A.S., and Shannon, S.S., 1966, Reconnaissance of beryllium-bearing pegmatite deposits in six western states—Arizona, Colorado, New Mexico, South Dakota, Utah, and Wyoming: U.S. Bureau of Mines Information Circular 8289, 34 p. (Accessed April 25, 2012, at http://mines.gov/DigitalLibrary/usbm_ic/USBMIC8298Beryllium-BearingPegmatiteDepositsSixWesternStates.pdf.)
- Mineração Taboca S.A., 2012a, Products—Ferro niobium tantalum alloy: Manaum, Amazonas, Brazil, Mineração Taboca S.A., [unpaginated]. (Accessed April 5, 2012, at <http://www.mtaboca.com.br/eng/produtos/liga.asp>.)
- Mineração Taboca S.A., 2012b, The company—History: Manaum, Amazonas, Brazil, Mineração Taboca S.A. (Accessed April 5, 2012, at <http://www.mtaboca.com.br/eng/empresa/historico.asp>.)
- Moss, R.L., Tzimas, E., Kara, H., Willis, P., and Kooroshy, J., 2011, Critical metals in strategic energy technologies—Assessing rare metals as supply-chain bottlenecks in low-carbon energy technologies: Luxembourg, Belgium, European Commission, 164 p. (Accessed October 27, 2011, via <http://setis.ec.europa.eu/newsroom/library/setis-presentations/jrc-report-on-critical-metals-in-strategic-energy-technologies>.)
- Namibia Rare Earths Inc., 2012, Management discussion and analysis: Halifax, Nova Scotia, Canada, February 23, 16 p. (Accessed May 3, 2012, at http://www.namibiareearth.com/upload/NRE_FS_and_MDA_combined_Nov_2011_FINAL.pdf.)
- Namibian, The, 2011, Uis Mine to reopen with new investment: The Namibian, April 28. (Accessed April 24, 2012, at http://www.namibian.com/na/index.php?id=28&tx_ttnews%5Btt_news%5D=81016&no_cache=1.)
- Natural Resources Canada, 2012a, Mineral production of Canada, by Province, 2010: Ottawa, Ontario, Canada, Natural Resources Canada, 5 p. (Accessed April 5, 2012, at [http://mmsd.mms.nrcan.gc.ca/stat-stat/prod-prod/PDF/2010 Mineral Production.pdf](http://mmsd.mms.nrcan.gc.ca/stat-stat/prod-prod/PDF/2010%20Mineral%20Production.pdf).)
- Natural Resources Canada, 2012b, Preliminary estimate of the mineral production of Canada, by Province, 2011: Ottawa, Ontario, Canada, Natural Resources Canada, 6 p. (Accessed April 5, 2012, at [http://mmsd.mms.nrcan.gc.ca/stat-stat/prod-prod/PDF/2011P Mineral Production.pdf](http://mmsd.mms.nrcan.gc.ca/stat-stat/prod-prod/PDF/2011P%20Mineral%20Production.pdf).)
- Navigator Exploration Corp., 2003, Annual report 2002: Vancouver, British Columbia, Canada, Navigator Exploration Corp., 24 p. (Accessed February 26, 2010, via http://www.sedar.com/search/search_form_pc_en.htm.)
- Niocan Inc., 2012, 2011 annual report: Montreal, Quebec, Canada, Niocan Inc., 32 p. (Accessed April 10, 2012, via <http://www.sedar.com/>.)
- Noventa Limited, 2011, 2011 annual report: St. Helier, United Kingdom, Noventa Limited, 92 p. (Accessed August 8, 2012, at [http://www.noventagroup.com/wp-content/uploads/pdf/NOVENTa Annual Report 2011.pdf](http://www.noventagroup.com/wp-content/uploads/pdf/NOVENTa%20Annual%20Report%202011.pdf).)
- OAO Severstal, 2010, 2009 annual report: Moscow, Russia, OAO Severstal, 153 p. (Accessed May 3, 2012, http://www.severstal.com/eng/ir/results_reports/annual_reports/2009_annual_report.pdf.)
- Pacific Wildcat Resources Corp., 2009, Technical report on the mineral assets of Tantalum Mineração and Prospecção Limitada: Vancouver, British Columbia, Canada, April 30, 86 p. (Accessed April 12, 2012, at http://www.pacificwildcat.com/_content/documents/387.pdf.)
- Pacific Wildcat Resources Corp., 2011a, Initial niobium resource estimate for Mrima Hill exceeds 1.5 billion pounds: Vancouver, British Columbia, Canada, Pacific Wildcat Resources Corp. news release 2011–14, July 7, 5 p. (Accessed April 11, 2012, at http://www.pacificwildcat.com/_content/documents/407.pdf.)
- Pacific Wildcat Resources Corp., 2011b, Management discussion and analysis Form 51–102f1 for the year ended December 31: Pacific Wildcat Resources Corp., May 2, 14 p. (Accessed September 30, 2011, at http://www.pacificwildcat.com/_content/documents/401.pdf.)
- Pacific Wildcat Resources Corp., 2011c, Pacific Wildcat Resources Corp. National Instrument 43–101 technical report for the initial niobium resource estimate—Mrima Hill rare earth/niobium project in southern Kenya: Vancouver, British Columbia, Canada, Pacific Wildcat Resources Corp., September 30, 295 p. (Accessed April 11, 2012, via <http://www.sedar.com/>.)
- Peak Resources Inc., 2011, Ngualla project, Tanzania: Perth, Australia, Peak Resources Inc. (Accessed April 18, 2012, at <http://www.peakresources.com.au/exploration/tanzania/projects/ngualla.aspx>.)
- Pereira, R.F., Jr., 2011, Nióbio: National Department of Mineral Production. (Accessed November 3, 2011, at https://sistemas.dnpm.gov.br/publicacao/mostra_imagem.asp?IDBancoArquivoArquivo=5481.)
- PhosCan Chemical Corp., 2012, Management’s discussion and analysis for the year ended January 31, 2012: Toronto, Ontario, Canada, PhosCan Chemical Corp., April 25, 24 p. (Accessed May 1, 2012, at <http://www.phoscan.ca/documents/financials/2012Q4MDA.pdf>.)
- Pontes, Eduardo Pontes e, 2011, Tântalo: National Department of Mineral Production. (Accessed November 3, 2011, at https://sistemas.dnpm.gov.br/publicacao/mostra_imagem.asp?IDBancoArquivoArquivo=5491.)
- Quantum Rare Earth Developments Corp., 2012, Elk Creek NB project, Nebraska, US Resource estimate update: Vancouver, British Columbia, Canada, April 23, 105 p. (Accessed December 13, 2012, via <http://www.sedar.com/>.)
- Quest Rare Minerals Ltd., 2012, Annual report 2011: Montreal, Quebec, Canada, Quest Rare Minerals Ltd., 68 p. (Accessed April 10, 2012, [http://www.questrareminerals.com/pdfs/Quest RM Annual Report - Mar 26, 2012.pdf](http://www.questrareminerals.com/pdfs/Quest%20RM%20Annual%20Report%20-%20Mar%2026%202012.pdf).)
- Rare Earth Industries, 2011, Rare Earth Industries expands its land position in Colorado with acquisition of former tantalum/beryllium producing property: Vancouver, British Columbia, Canada, Rare Earth Industries news release, August 2. (Accessed April 25, 2012, at http://www.rareearthindustries.com/_resources/news/nr_2011_08_04.pdf.)
- Rare Earth Metals Inc., 2011, Technical report on the Clay-Howells Fe-REE project, Ontario, Canada: Thunder Bay, Ontario, Canada, Rare Earth Metals Inc., September 26, 79 p. (Accessed May 1, 2012, via <http://www.rareearthmetals.ca/upload/documents/1192410300-rep-r0001-01-final.pdf>.)
- Resende, Itamar, 2011, New operating developments at Mibra mine: Tantalum-Niobium International Study Center Bulletin 145, Tantalum-Niobium International Study Center, Lasne, Belgium, March, 8 p. (Accessed January 10, 2012, at http://tanb.org/webfm_send/113.)
- Riffel, B.F., [undated], Mine and operations—Geology: São Paulo, Brazil, Companhia Brasileira de Metalurgia e Mineração. (Accessed May 7, 2012, via <http://www.cbmm.com.br/english/index.html>.)
- Roskill Information Services Ltd., 2009a, The Economics of Niobium, 2009: London, United Kingdom, Roskill Information Services Ltd., 222 p.
- Roskill Information Services Ltd., 2009b, The Economics of Tantalum, 2009: London, United Kingdom, Roskill Information Services Ltd., 152 p.
- Schwela, Ulric, 2010, The state of tantalum mining: Mining Journal special publication—Tantalum, September, 11 p. (Accessed December 15, 2010, at http://www.mining-journal.com/_data/assets/supplement_file_attachment/0011/237287/Tantalum2010_scr.pdf.)
- Schwela, Ulric, 2011, T.I.C statistics and transport project: Tantalum-Niobium International Study Center Bulletin 145, Tantalum-Niobium International Study Center, Lasne, Belgium, March, 8 p. (Accessed January 10, 2012, at http://tanb.org/webfm_send/113.)
- Smith, Michelle, 2011, Three considerations for tantalum investors: Resource Investing News, August 10. (Accessed April 27, 2012, at <http://resourceinvestingnews.com/20620-three-considerations-for-tantalum-investors.html>.)
- Solid Resources Ltd., 2011, Technical report on the Alberta 1 property rare element pegmatites in Galicia, Spain: Vancouver, British Columbia, Canada, Solid Resources Ltd., December 8, 18 p. (Accessed April 23, 2012, via <http://www.sedar.com/>.)

SteelGuru, 2011, Severstal set out Stalmag for sale: SteelGuru, May 7. (Accessed May 3, 2012, at http://www.steelguru.com/russian_news/Severstal_set_out_Stalmag_for_sale/203925.html.)

Tantalum-Niobium International Study Center, 2012, Tantalum-Niobium International Study Center Bulletin: Belgium, Tantalum-Niobium International Study Center, Bulletin 149, 14 p. (Accessed April 27, 2012, at http://tanb.org/webfm_send/166.)

Taseko Mines Ltd., 2012, Annual report 2011: Vancouver, British Columbia, Canada, Taseko Mines Limited, 33 p. (Accessed April 10, 2012, at http://www.tasekomines.com/workspace/media/mce/financialreports/TKO_Q4_2011.pdf.)

Tertiary Minerals plc, 2011, 2011 annual report: Macclesfield, United Kingdom, 40 p. (Accessed April 12, 2012, at http://www.tertiaryminerals.com/uploads/Tertiary_Minerals_Annual_Report_2011.pdf.)

Texas Rare Earth Resources Corp., 2011, Texas Rare Earth Resources announces initiation of stream sediment sampling program: Houston, Texas, Texas Rare Earth Resources Corp. news release, April 11. (Accessed May 4, 2012, at <http://trere.com/Websites/texasrareearth/Images/stream-sediment-sampling-4611.pdf>.)

TNR Gold Corp., [undated], Projects—Canada: Vancouver, British Columbia, TNR Gold Corp. (Accessed May 4, 2012, via <http://www.tnrgoldcorp.com/s/Canada.asp>.)

Woolley, A.R., 2001, The alkaline rocks and carbonatites of the world—Part 3—Africa: London, United Kingdom, The Geological Society, 384 p.

GENERAL SOURCES OF INFORMATION

U.S. Geological Survey Publications

Columbium (Niobium). Ch. in *Metal Prices in the United States Through 1998*, 1999.

Columbium (Niobium). Ch. in *Mineral Commodity Summaries*, annual.

Columbium (Niobium) and Tantalum. Ch. in *United States Mineral Resources*, Professional Paper 820, 1973.

Columbium (Niobium) Recycling in the United States in 1998. Ch. in *Flow Studies for Recycling Metal Commodities in the United States*, Circular 1196—A—M, 2004.

Historical Statistics for Mineral and Material Commodities in the United States. Data Series 140.

Niobium (Columbium) and Tantalum. *International Strategic Minerals Inventory Summary Report*, Circular 930—M, 1993.

Tantalum. Ch. in *Metal Prices in the United States Through 1998*, 1999.

Tantalum. Ch. in *Mineral Commodity Summaries*, annual.

Tantalum Recycling in the United States in 1998. Ch. in *Flow Studies for Recycling Metal Commodities in the United States*, Circular 1196—A—M, 2004.

Other

Columbium (Niobium). Ch. in *Mineral Facts and Problems*, U.S. Bureau of Mines Bulletin 675, 1985.

Company reports and news releases.

International Symposium Proceedings, Tantalum-Niobium International Study Center, 2005.

Mining Journal, weekly.

Platts Metals Week, weekly.

Ryan's Notes, weekly.

Tantalum. Ch. in *Mineral Facts and Problems*, U.S. Bureau of Mines Bulletin 675, 1985.

Tantalum-Niobium International Study Center.

TABLE 1
SALIENT NIOBIUM STATISTICS¹

| | | 2007 | 2008 | 2009 | 2010 | 2011 |
|--|----------------------|---------------------|--------|---------------------|---------------------|---------------------|
| United States: | | | | | | |
| Exports, Nb content ² | metric tons | 1,100 ^r | 781 | 195 | 281 | 363 |
| Imports for consumption: | | | | | | |
| Mineral concentrates, Nb content | do. | 109 | 134 | 41 | 5 | 23 |
| Niobium metal, gross weight ³ | do. | 864 | 1,130 | 699 | 1,380 | 1,460 |
| Niobium oxide, Nb content ^e | do. | 744 | 852 | 742 | 824 | 1,120 |
| Ferroniobium, Nb content ^e | do. | 8,400 | 7,120 | 2,920 | 6,280 | 6,910 |
| Reported consumption, Nb content | | | | | | |
| Raw materials | do. | W | W | W | W | W |
| Ferroniobium and nickel niobium | do. | 6,510 | 5,380 | 4,350 | 5,590 | 7,210 |
| Apparent consumption, Nb content | do. | 9,020 | 8,450 | 4,210 | 8,210 | 9,160 |
| Value: ⁴ | | | | | | |
| Niobium ores and concentrates (gross weight) | dollars per kilogram | 22.55 | 26.70 | 59.86 | 19.84 | 39.34 |
| Niobium oxide (gross weight) | do. | 17.64 | 25.65 | 27.30 | 30.32 | 37.69 |
| Ferroniobium (gross weight) | do. | 13.88 | 21.29 | 23.59 | 24.01 | 26.43 |
| World, production of niobium-tantalum concentrates, Nb content | metric tons | 62,200 ^r | 63,000 | 63,000 ^r | 63,200 ^r | 63,400 ^e |

^eEstimated. ^rRevised. do. Ditto. W Withheld to avoid disclosing company proprietary data.

¹Data are rounded to no more than three significant digits, except values.

²Includes natural and synthetic niobium ore and concentrates, niobium oxide, niobium ferroalloy, and unwrought niobium metal and alloys.

³Includes niobium and articles made of niobium.

⁴Mass-weighted average value of imported plus exported materials.

TABLE 2
SALIENT TANTALUM STATISTICS¹

| | | 2007 | 2008 | 2009 | 2010 | 2011 ^e |
|---|----------------------|--------------------|--------------------|------------------|------------------|-------------------|
| United States: | | | | | | |
| Exports: | | | | | | |
| Tantalum ores and concentrates, ² Ta content | metric tons | 146 | 96 | 94 | 58 | 65 |
| Tantalum metal, gross weight | do. | 207 | 390 | 138 | 246 | 443 |
| Tantalum and tantalum alloy powder, gross weight | do. | 158 | 176 | 94 | 134 | 140 |
| Imports for consumption: | | | | | | |
| Mineral ores and concentrates, Ta content | do. | 294 | 357 | 109 | 9 | 60 |
| Tantalum metal and tantalum-bearing alloys, ³ gross weight | do. | 861 | 934 | 689 | 1,590 | 1,800 |
| Reported consumption, raw materials Ta content | do. | W | W | W | W | W |
| Apparent consumption, Ta content | do. | 644 | 629 | 473 | 1,160 | 1,210 |
| Price, tantalite, ⁴ Ta ₂ O ₅ content | dollars per kilogram | 82 | 96 | 89 | 120 | 275 |
| Value, ⁵ tantalum ores and concentrates, gross weight | do. | 43 | 49 | 30 | 32 | 46 |
| World, production of niobium-tantalum concentrates, Ta content | metric tons | 1,060 ^r | 1,300 ^r | 770 ^r | 640 ^r | 770 |

^eEstimated. ^rRevised. do. Ditto. W Withheld to avoid disclosing company proprietary data.

¹Data are rounded to no more than three significant digits.

²Includes natural and synthetic tantalum ore and concentrates.

³Includes unwrought powders, unwrought alloys and metals, waste and scrap, and wrought alloys and metal.

⁴Average annual price per Ta₂O₅ content as reported in Ryan's Notes.

⁵Mass-weighted average value of imported plus exported materials.

TABLE 3
REPORTED CONSUMPTION, BY END USE, INDUSTRY STOCKS OF FERRONIUM AND
NICKEL NIOBIUM, AND GOVERNMENT STOCKS BY MATERIAL IN THE UNITED STATES¹

(Metric tons of niobium and tantalum content)

| | 2010 | 2011 |
|--|--------------------|--------------------|
| End use: | | |
| Steel: | | |
| Carbon | 1,630 | 1,630 |
| Stainless and heat-resisting | 727 | 684 |
| Full alloy | 360 | 331 |
| High-strength low-alloy | (2) | (2) |
| Electric | (2) | (2) |
| Tool | 19 | 17 |
| Unspecified | 1,430 ^r | 1,510 |
| Total | 4,160 | 4,160 |
| Superalloys | 1,400 | 3,020 |
| Alloys (excluding steels and superalloys) | 24 | 21 |
| Grand total | 5,590 | 7,200 ^e |
| Stocks, December 31: | | |
| Consumer | 462 ^r | 406 |
| Producer ³ | W | W |
| Total | 462 ^r | 406 |
| National Defense Stockpile, total uncommitted inventory by material: | | |
| Niobium metal ingots | 10.0 | 10.0 |
| Tantalum carbide powder | 1.72 | 1.72 |

^eEstimated. ^rRevised. W Withheld to avoid disclosing company proprietary data.

¹Data are rounded to no more than three significant digits; may not add to totals shown.

²Included with "Steel, unspecified."

³Ferroniobium only.

TABLE 4
U.S. FOREIGN TRADE IN NIOBIUM AND TANTALUM METAL AND ALLOYS, BY CLASS¹

| HTS code ² | Class | 2010 | | 2011 | | Principal destinations and sources in 2011 (gross mass in kilograms and values in thousand dollars) |
|---------------------------------|---------------------------------|---------------------------|----------------------|---------------------------|----------------------|--|
| | | Gross mass (kilograms) | Value (thousands) | Gross mass (kilograms) | Value (thousands) | |
| Exports: | | | | | | |
| Niobium: | | | | | | |
| 2615.90.6030 | Ores and concentrates | 24,900 | \$228 | 12,300 | \$129 | India 7,340, \$51; Peru 2,710, \$19; France 1,750, \$12; Italy 453, \$47. |
| 7202.93.0000 | Ferriobium | 395,000 | 4,190 | 519,000 | 5,640 | Canada 468,000, \$5,070; Mexico 32,900, \$360; Peru 10,900, \$126; United Kingdom 5,840, \$64; Belgium 953, \$10; Argentina 275, \$9. |
| Tantalum: | | | | | | |
| 2615.90.3000 | Synthetic concentrates | 22,800 | 214 | 20,400 | 1,610 | United Kingdom 5,350, \$49; China 4,660, \$526; Hong Kong 4,090, \$429; Austria 2,160, \$569; Japan 1,560, \$14; Trinidad and Tobago 1,330, \$11; Ireland 935, \$9; South Africa 298, \$3; Spain 8, \$4. |
| 2615.90.6060 | Ores and concentrates | 149,000 | 2,880 | 186,000 | 1,680 | Brazil 185,000, \$1,660; Korea, Republic of 959, \$21; Germany 127, \$3. |
| 8103.20.0030 | Unwrought, powders | 134,000 | 57,400 | 140,000 | 66,500 | Mexico 48,900, \$22,000; Germany 36,700, \$20,800; Israel 17,100, \$9,710; Japan 12,600, \$4,140; El Salvador 9,210, \$4,090; Sweden 8,210, \$3,100; China 1,960, \$699; Netherlands 1,570, \$211. |
| 8103.20.0090 | Unwrought, alloys and metal | 15,400 | 2,730 | 58,800 | 18,000 | Germany 40,700, \$10,800; United Kingdom 5,450, \$2,870; Netherlands 4,620, \$345; Estonia 4,450, \$2,230; Canada 1,490, \$491; Mexico 595, \$34; Israel 459, \$455; Korea, Republic of 344, \$32. |
| 8103.30.0000 | Waste and scrap | 165,000 | 18,800 | 303,000 | 39,400 | Hong Kong 80,800, \$6,000; China 65,800, \$7,450; Kazakhstan 48,100, \$3,580; United Kingdom 43,500, \$11,000; Germany 41,100, \$7,750; France 6,430, \$563. |
| 8103.90.0000 | Wrought | 65,200 | 35,900 | 81,800 | 47,800 | Germany 36,600, \$17,900; Mexico 15,100, \$9,230; France 11,800, \$6,870; Japan 5,550, \$3,500. |
| | Total | XX | 122,000 | XX | 181,000 | |
| Imports for consumption: | | | | | | |
| Niobium: | | | | | | |
| 2615.90.6030 | Ores and concentrates | 11,600 | 494 | 9,090 | 710 | China 6,070, \$402; Germany 3,000, \$305; United Kingdom 26, \$3. |
| 2825.90.1500 | Oxide | 1,180,000 | 35,800 | 1,610,000 | 60,600 | Brazil 1,340,000, \$45,100; China 148,000, \$9,110; Germany 67,500, \$3,650; Russia 30,800, \$1,640; Hong Kong 14,900, \$906; Taiwan 2,000, \$125; Liechtenstein 10, \$13. |
| Ferriobium: | | | | | | |
| 7202.93.4000 | Silicon < 0.4% | 444,000 | 14,900 | 1,020,000 | 34,600 | Brazil 878,000, \$28,100; United Kingdom 134,000, \$5,710; Germany 9,540, \$704. |
| 7202.93.8000 | Other | 9,210,000 | 222,000 | 9,610,000 | 254,000 | Brazil 8,190,000, \$216,000; Canada 1,400,000, \$37,700; Belgium 17,000, \$499; Germany 1,750, \$53; United Kingdom 908, \$57. |
| | Total | 9,660,000 | 237,000 | 10,600,000 | 289,000 | |
| 8112.92.4000 | Unwrought, powders ³ | 1,380,000 | 56,900 | 1,460,000 | 74,100 | Brazil 1,250,000, \$57,900; Germany 108,000, \$6,640; Estonia 60,600, \$6,290; China 41,000, \$2,890; Austria 841, \$42; United Kingdom 819, \$24; Thailand 815, \$217; Korea, Republic of 424, \$44. |
| Tantalum: | | | | | | |
| 2615.90.3000 | Synthetic concentrates | -- | -- | 10,700 | 56 | Hong Kong 10,700, \$54; Thailand 3, \$2. |
| 2615.90.6060 | Ores and concentrates | 19,800 | 2,520 | 179,000 | 15,200 | Australia 111,000, \$11,000; Mozambique 26,000, \$796; Canada 20,000, \$325; Brazil 20,000, \$2,740; Bolivia 1,300, \$45; China 773, \$21; Kazakhstan 65, \$18; Portugal 3, \$3. |
| 8103.20.0030 | Unwrought powders | 207,000 | 60,900 | 101,000 | 31,400 | Thailand 32,700, \$12,300; Germany 28,800, \$7,830; China 13,000, \$6,920; Japan 12,600, \$2,070; Czech Republic 11,400, \$1,150; Mexico 1,660, \$1,130; France 122, \$33; Italy 5, \$2; Canada 5, \$3. |
| 8103.20.0090 | Unwrought, alloys and metal | 193,000 | 36,800 | 204,000 | 57,800 | Kazakhstan 107,000, \$31,800; Germany 47,700, \$12,800; China 21,300, \$9,900; United Kingdom 11,800, \$2,210; France 7,800, \$570; Czech Republic 6,360, \$127. |

See footnotes at end of table.

TABLE 4—Continued
U.S. FOREIGN TRADE IN NIOBIUM AND TANTALUM METAL AND ALLOYS, BY CLASS¹

| HTS code ² | Class | 2010 | | 2011 | | Principal destinations and sources in 2011 (gross mass in kilograms and values in thousand dollars) |
|-----------------------|-----------------|---------------------------|----------------------|---------------------------|----------------------|--|
| | | Gross mass (kilograms) | Value (thousands) | Gross mass (kilograms) | Value (thousands) | |
| 8103.30.0000 | Waste and scrap | 1,070,000 | 42,000 | 1,370,000 | 60,900 | Estonia 559,000, \$22,000; China 148,000, \$9,570; Russia 127,000, \$976; Mexico 125,000, \$5,950; Japan 101,000, \$5,860; Indonesia 90,200, \$2,390; Germany 44,700, \$2,900; United Kingdom 11,800, \$2,210. |
| 8103.90.0000 | Wrought | 114,000 | 31,500 | 124,000 | 53,600 | China 44,800, \$30,300; Kazakhstan 22,900, \$12,300; Israel 21,300, \$1,290; France 11,800, \$1,800. |
| | Total | XX | 504,000 | XX | 643,000 | |

XX Not applicable. -- Zero.

¹Data are rounded to no more than three significant digits; may not add to totals shown.

²Harmonized Tariff Schedule of the United States.

³Niobium waste and scrap is included in 8112.92.0600 along with other materials. Niobium other than unwrought; waste and scrap; and powders is included in 8112.99.9000 along with other materials.

Sources: U.S. Census Bureau and U.S. Geological Survey.

TABLE 5
U.S IMPORTS FOR CONSUMPTION OF TANTALUM ORES AND CONCENTRATES, BY COUNTRY¹

| Country | 2010 | | 2011 | |
|------------|---------------------------|----------------------|---------------------------|----------------------|
| | Gross mass (kilograms) | Value (thousands) | Gross mass (kilograms) | Value (thousands) |
| Australia | -- | -- | 111,000 | \$11,200 |
| Bolivia | -- | -- | 1,300 | 45 |
| Brazil | 11,000 | \$2,150 | 20,000 | 2,740 |
| Canada | 255 | 5 | 20,200 | 325 |
| China | 255 | 88 | 773 | 21 |
| Kazakhstan | -- | -- | 65 | 18 |
| Mozambique | 8,350 | 270 | 26,000 | 796 |
| Portugal | -- | -- | 3 | 3 |
| Total | 19,800 | 2,520 | 179,000 | 15,200 |

-- Zero.

¹Data are rounded to no more than three significant digits; may not add to totals shown.

Sources: U.S. Census Bureau and U.S. Geological Survey.

TABLE 6
 NIOBIUM AND TANTALUM: WORLD PRODUCTION OF MINERAL CONCENTRATES, BY COUNTRY^{1,2}

(Metric tons)

| Country ⁵ | Gross mass ³ | | | | Niobium content ⁴ | | | | Tantalum content ⁴ | | | | | | |
|---|-------------------------|----------------------|----------------------|----------------------|------------------------------|---------------------|---------------------|---------------------|-------------------------------|----------------------|--------------------|--------------------|------------------|------------------|-------------------|
| | 2007 | 2008 | 2009 | 2010 | 2011 ^e | 2007 | 2008 | 2009 | 2010 | 2011 ^e | 2007 | 2008 | 2009 | 2010 | 2011 ^e |
| Australia, columbite-tantalite ⁶ | 1,630 ^e | 2,060 ^e | 318 | -- | -- | -- | -- | -- | -- | -- | 441 | 557 | 81 | -- | -- |
| Brazil: ⁵ | | | | | | | | | | | | | | | |
| Nb minerals ^{7,8} | 245,766 ⁹ | 246,000 | 247,000 | 245,000 | 250,000 | 57,267 ⁹ | 58,000 | 58,000 | 58,000 | 58,000 | -- | -- | -- | -- | -- |
| Ta minerals ^{6,10} | 650 | 650 | 650 | 650 | 650 | -- | -- | -- | -- | -- | 180 | 180 | 180 | 180 | 180 |
| Burundi | 52 | 91 ^r | 24 ^r | 67 ^r | 68 | 10 | 18 ^r | 5 ^r | 13 ^r | 13 | 9 | 18 ^r | 5 ^r | 13 ^r | 13 |
| Canada: | | | | | | | | | | | | | | | |
| Nb minerals ⁸ | 161,800 ^r | 178,800 ^r | 175,500 ^r | 186,400 ^r | 211,300 ⁹ | 4,337 | 4,383 | 4,330 | 4,419 | 4,632 ^{p,9} | -- | -- | -- | -- | -- |
| Ta minerals ^{6,10} | 201 | 150 | 110 | -- | -- | -- | -- | -- | -- | -- | 45 | 40 | 25 | -- | -- |
| Congo (Kinshasa): | | | | | | | | | | | | | | | |
| Columbite-tantalite ^{6,11} | 428 ^{r,9} | 527 ^{r,9} | 468 ^{r,9} | 397 ^{r,9} | 350 | 98 ^r | 120 ^r | 110 ^r | 93 ^r | 80 | 120 ^r | 140 | 130 | 110 ^r | 95 |
| Nb minerals | -- | 119 | 80 ^{r,e} | -- | -- | -- | 59 ^e | 40 ^{r,e} | -- | -- | -- | -- | -- | -- | -- |
| Ethiopia, tantalite | 117 | 206 ^r | 202 ^r | 167 ^r | 207 ⁹ | 12 ^r | 14 ^r | 14 ^r | 17 ^r | 14 | 52 ^r | 76 ^r | 74 ^r | 74 ^r | 76 |
| Mozambique ^e | 196 ⁹ | 396 ⁹ | 405 ⁹ | 430 | 900 | 14 | 28 | 29 | 30 | 65 | 56 | 110 | 113 | 120 | 260 |
| Nigeria, columbite-tantalite ^e | 850 ^r | 570 ^r | 900 ^r | 1,200 ^r | 1,100 | 340 ^r | 230 ^r | 360 ^r | 480 ^r | 440 | 40 ^r | 26 ^r | 40 ^r | 54 ^r | 50 |
| Rwanda | 490 | 600 ^r | 480 ^r | 380 ^r | 380 | 150 ^r | 190 ^r | 150 ^r | 120 ^r | 120 | 120 | 150 ^r | 120 ^r | 93 ^r | 93 |
| Somalia ^{6,12} | -- | 11 | 7 | -- | -- | -- | 2 | 2 | -- | -- | -- | 3 | 2 | -- | -- |
| Uganda ⁶ | (13) | (13) | (13) | (13) | (13) | (13) | (13) | (13) | (13) | (13) | (13) | (13) | (13) | (13) | (13) |
| Total | 412,000 ^r | 430,000 ^r | 426,000 ^r | 435,000 ^r | 465,000 ^r | 62,200 ^r | 63,000 ^r | 63,000 ^r | 63,200 ^r | 63,400 ^r | 1,060 ^r | 1,300 ^r | 770 ^r | 640 ^r | 770 |

^eEstimated. ^rRevised. -- Zero.

¹World totals and estimated data are rounded to no more than three significant digits; may not add to totals shown.

²Excludes production of columbite and tantalum contained in tin ores and slags. Table includes data available through June 11, 2012.

³Gross mass is mass of concentrate before metal is extracted.

⁴Content is mass of metal produced. Nb₂O₅ is 69.904% niobium; Ta₂O₅ is 81.897% tantalum.

⁵In addition to the countries listed, Bolivia, China, French Guiana, Kazakhstan, and Russia also produce, or are thought to produce, niobium and tantalum mineral concentrates, but available information is inadequate to make reliable estimates of output levels.

⁶Tantalum production reported in Ta₂O₅ converted to tantalum content. Gross mass is concentrate assumed to be one-third Ta₂O₅.

⁷Niobium concentrate production reported in Nb₂O₅ content converted to niobium content. Gross mass is concentrate assumed to be one-third Nb₂O₅.

⁸Includes columbite and pyrochlore.

⁹Reported figure.

¹⁰Includes djalmite and tantalite.

¹¹Reported data includes the North and South Kivu Provinces.

¹²From August 2008 to April 2009, 18 metric tons of columbite-tantalite was reportedly produced in Somalia. It is unclear if production continued after early April 2009.

¹³Less than 1/2 unit.

TABLE 7
 FERRONIUM (FERROCOLUMBIUM): WORLD PRODUCTION, BY COUNTRY¹

(Metric tons, Nb content)

| Country ² | 2007 | 2008 | 2009 | 2010 | 2011 |
|----------------------|---------------------|----------------------|---------------------|-----------------------|-----------------------|
| Brazil | 34,612 ³ | 35,534 ³ | 22,932 ³ | 34,708 ^{r,3} | 34,700 ^{p,e} |
| Canada ^c | 4,337 ³ | 4,384 ^{r,3} | 4,620 | 4,620 | 4,620 |
| Russia ^c | 80 ^r | 80 | 79 | 80 | 80 |
| United States | NA | NA | NA | NA | NA |
| Total | 39,000 | 40,000 | 27,600 | 39,400 ^r | 39,400 |

^cEstimated. ^pPreliminary. ^rRevised. NA Not available.

¹Estimated data are rounded to no more than three significant digits; may not add to totals shown. Table includes data available through July 13, 2012.

²In addition to the countries listed, Austria, China, and Germany are thought to have produced ferroniobium (ferrocolumbium), but production information is inadequate for the formulation of estimates of output levels.

³Reported figure.